


EXHAUST ADAPTORS:

AUGUST 2013

Adaptors / Reducers OD/OD - Mild Steel

EXA20225	Mild Steel Adaptor/Reducer 2" OD x 2¼" OD x 5" overall length	
EXA2025	Mild Steel Adaptor/Reducer 2" OD x 2½" OD x 5" overall length	
EXA2030	Mild Steel Adaptor/Reducer 2" OD x 3" OD x 5" overall length	
EXA225250	Mild Steel Adaptor/Reducer 2¼" OD x 2½" OD x 5" overall length	
EXA25275	Mild Steel Adaptor/Reducer 2½" OD x 2¾" OD x 5" overall length	
EXA2530	Mild Steel Adaptor/Reducer 2½" OD x 3" OD x 5" overall length	
EXA27530	Mild Steel Adaptor/Reducer 2¾" OD x 3" OD x 5" overall length	
EXA3035	Mild Steel Adaptor/Reducer 3" OD x 3½" OD x 5" overall length	
EXA3040	Mild Steel Adaptor/Reducer 3" OD x 4" OD x 5" overall length	
EXA3540	Mild Steel Adaptor/Reducer 3½" OD x 4" OD x 5" overall length	
EXA4045	Mild Steel Adaptor/Reducer 4" OD x 4½" OD x 5" overall length	
EXA4050	Mild Steel Adaptor/Reducer 4" OD x 5" OD x 5" overall length	
EXA4550	Mild Steel Adaptor/Reducer 4½" OD x 5" OD x 5" overall length	
EXA5055	Mild Steel Adaptor/Reducer 5" OD x 5½" OD x 5" overall length	
EXA5060	Mild Steel Adaptor/Reducer 5" OD x 6" OD x 5" overall length	

Adaptors / Reducers OD-OD - Aluminised Steel

EXA20225A	Aluminised Adaptor/Reducer 2" OD x 2¼" OD x 5" overall length	
EXA2025A	Aluminised Adaptor/Reducer 2" OD x 2½" OD x 5" overall length	
EXA2030A	Aluminised Adaptor/Reducer 2" OD x 3" OD x 5" overall length	
EXA225250A	Aluminised Adaptor/Reducer 2¼" OD x 2½" OD x 5" overall length	
EXA25275A	Aluminised Adaptor/Reducer 2½" OD x 2¾" OD x 5" overall length	
EXA2530A	Aluminised Adaptor/Reducer 2½" OD x 3" OD x 5" overall length	
EXA27530A	Aluminised Adaptor/Reducer 2¾" OD x 3" OD x 5" overall length	
EXA3035A	Aluminised Adaptor/Reducer 3" OD x 3½" OD x 5" overall length	
EXA3040A	Aluminised Adaptor/Reducer 3" OD x 4" OD x 5" overall length	
EXA3540A	Aluminised Adaptor/Reducer 3½" OD x 4" OD x 5" overall length	
EXA4045A	Aluminised Adaptor/Reducer 4" OD x 4½" OD x 5" overall length	
EXA4050A	Aluminised Adaptor/Reducer 4" OD x 5" OD x 5" overall length	
EXA4550A	Aluminised Adaptor/Reducer 4½" OD x 5" OD x 5" overall length	
EXA5055A	Aluminised Adaptor/Reducer 5" OD x 5½" OD x 5" overall length	
EXA5060A	Aluminised Adaptor/Reducer 5" OD x 6" OD x 5" overall length	


PRICES ARE FOR EACH INDIVIDUAL ITEM - GST NOT INCLUDED




EXHAUST ADAPTORS:

AUGUST 2013

Adaptors / Reducers OD/OD - Stainless Steel (304)

EXA20225SS	Stainless Steel Adaptor/Reducer 2" OD x 2¼" OD x 5" overall length		
EXA2025SS	Stainless Steel Adaptor/Reducer 2" OD x 2½" OD x 5" overall length		
EXA2030SS	Stainless Steel Adaptor/Reducer 2" OD x 3" OD x 5" overall length		
EXA25275SS	Stainless Steel Adaptor/Reducer 2½" OD x 2¾" OD x 5" overall length		
EXA2530SS	Stainless Steel Adaptor/Reducer 2½" OD x 3" OD x 5" overall length		
EXA3035SS	Stainless Steel Adaptor/Reducer 3" OD x 3½" OD x 5" overall length		
EXA3040SS	Stainless Steel Adaptor/Reducer 3" OD x 4" OD x 5" overall length		
EXA3540SS	Stainless Steel Adaptor/Reducer 3½" OD x 4" OD x 5" overall length		
EXA4045SS	Stainless Steel Adaptor/Reducer 4" OD x 4½" OD x 5" overall length		
EXA4050SS	Stainless Steel Adaptor/Reducer 4" OD x 5" OD x 5" overall length		
EXA5060SS	Stainless Steel Adaptor/Reducer 5" OD x 6" OD x 5" overall length		

Single Coupler - ID/OD - Mild Steel

EXS2000	Mild Steel Single Coupler 2" ID/OD - 51mm x 5" overall length		
EXS2250	Mild Steel Single Coupler 2¼" ID/OD - 57mm x 5" overall length		
EXS2500	Mild Steel Single Coupler 2½" ID/OD - 63mm x 5" overall length		
EXS2750	Mild Steel Single Coupler 2¾" ID/OD - 70mm x 5" overall length		
EXS3000	Mild Steel Single Coupler 3" ID/OD - 76mm x 5" overall length		
EXS3500	Mild Steel Single Coupler 3½" ID/OD - 89mm x 5" overall length		
EXS4000	Mild Steel Single Coupler 4" ID/OD - 102mm x 5" overall length		
EXS4500	Mild Steel Single Coupler 4½" ID/OD - 114mm x 5" overall length		
EXS5000	Mild Steel Single Coupler 5" ID/OD - 127mm x 5" overall length		
EXS5500	Mild Steel Single Coupler 5½" ID/OD - 140mm x 5" overall length		
EXS6000	Mild Steel Single Coupler 6" ID/OD - 152mm x 5" overall length		

PRICES ARE FOR EACH INDIVIDUAL ITEM - GST NOT INCLUDED



EXHAUST ADAPTORS:

AUGUST 2013


Single Coupler - ID-OD - Aluminised Steel

EXS2000A	Aluminised Single Coupler 2" ID/OD - 51mm x 5" overall length	
EXS2250A	Aluminised Single Coupler 2¼" ID/OD - 57mm x 5" overall length	
EXS2500A	Aluminised Single Coupler 2½" ID/OD - 63mm x 5" overall length	
EXS3000A	Aluminised Single Coupler 3" ID/OD - 76mm x 5" overall length	
EXS3500A	Aluminised Single Coupler 3½" ID/OD - 89mm x 5" overall length	
EXS4000A	Aluminised Single Coupler 4" ID/OD - 102mm x 5" overall length	
EXS4500A	Aluminised Single Coupler 4½" ID/OD - 114mm x 5" overall length	
EXS5000A	Aluminised Single Coupler 5" ID/OD - 127mm x 5" overall length	
EXS6000A	Aluminised Single Coupler 6" ID/OD - 152mm x 5" overall length	

Single Coupler - ID/OD - Stainless Steel (304)

EXS2000SS	Stainless Steel Single Coupler 2" ID/OD - 51mm x 5" overall length	
EXS2500SS	Stainless Steel Single Coupler 2½" ID/OD - 63mm x 5" overall length	
EXS3000SS	Stainless Steel Single Coupler 3" ID/OD - 76mm x 5" overall length	
EXS3500SS	Stainless Steel Single Coupler 3½" ID/OD - 89mm x 5" overall length	
EXS4000SS	Stainless Steel Single Coupler 4" ID/OD - 102mm x 5" overall length	
EXS5000SS	Stainless Steel Single Coupler 5" ID/OD - 127mm x 5" overall length	
EXS6000SS	Stainless Steel Single Coupler 6" ID/OD - 127mm x 5" overall length	

Double Coupler - ID/ID - Mild Steel

EXD2000	Mild Steel Double Coupler 2" ID/ID - 51mm x 5" overall length	
EXD2250	Mild Steel Double Coupler 2¼" ID/ID - 57mm x 5" overall length	
EXD2500	Mild Steel Double Coupler 2½" ID/ID - 63mm x 5" overall length	
EXD2750	Mild Steel Double Coupler 2¾" ID/ID - 70mm x 5" overall length	
EXD3000	Mild Steel Double Coupler 3" ID/ID - 76mm x 5" overall length	
EXD3500	Mild Steel Double Coupler 3½" ID/ID - 89mm x 5" overall length	
EXD4000	Mild Steel Double Coupler 4" ID/ID - 102mm x 5" overall length	
EXD4500	Mild Steel Double Coupler 4½" ID/ID - 114mm x 5" overall length	
EXD5000	Mild Steel Double Coupler 5" ID/ID - 127mm x 5" overall length	
EXD5500	Mild Steel Double Coupler 5½" ID/ID - 140mm x 5" overall length	
EXD6000	Mild Steel Double Coupler 6" ID/ID - 152mm x 5" overall length	

PRICES ARE FOR EACH INDIVIDUAL ITEM - GST NOT INCLUDED

EXHAUST ADAPTORS:

AUGUST 2013


Double Coupler - ID/ID - Aluminised Steel

EXD2000A	Aluminised Double Coupler 2" ID/ID - 51mm x 5" overall length	
EXD2250A	Aluminised Double Coupler 2¼" ID/ID - 57mm x 5" overall length	
EXD2500A	Aluminised Double Coupler 2½" ID/ID - 63mm x 5" overall length	
EXD3000A	Aluminised Double Coupler 3" ID/ID - 76mm x 5" overall length	
EXD3500A	Aluminised Double Coupler 3½" ID/ID - 89mm x 5" overall length	
EXD4000A	Aluminised Double Coupler 4" ID/ID - 102mm x 5" overall length	
EXD4500A	Aluminised Double Coupler 4½" ID/ID - 114mm x 5" overall length	
EXD5000A	Aluminised Double Coupler 5" ID/ID - 127mm x 5" overall length	
EXD6000A	Aluminised Double Coupler 6" ID/ID - 152mm x 5" overall length	

Double Coupler - ID/ID - Stainless Steel (304)

EXD2000SS	Stainless Steel Double Coupler 2" ID/ID - 51mm x 5" overall length	
EXD2500SS	Stainless Steel Double Coupler 2½" ID/ID - 63mm x 5" overall length	
EXD3000SS	Stainless Steel Double Coupler 3" ID/ID - 76mm x 5" overall length	
EXD3500SS	Stainless Steel Double Coupler 3½" ID/ID - 89mm x 5" overall length	
EXD4000SS	Stainless Steel Double Coupler 4" ID/ID - 102mm x 5" overall length	
EXD5000SS	Stainless Steel Double Coupler 5" ID/ID - 114mm x 5" overall length	
EXD6000SS	Stainless Steel Double Coupler 6" ID/ID - 127mm x 5" overall length	

Stainless Steel Hose Clamps

SMP2P	35-53mm Stainless Steel Solid Band (non-perforated) Heavy Duty	
SMP3P	52-70mm Stainless Steel Solid Band (non-perforated) Heavy Duty	
SMP4P	65-90mm Stainless Steel Solid Band (non-perforated) Heavy Duty	
SMP5P	85-110mm Stainless Steel Solid Band (non-perforated) Heavy Duty	
SMP6P	105-130mm Stainless Steel Solid Band (non-perforated) Heavy Duty	
SMP7P	130-155mm Stainless Steel Solid Band (non-perforated) Heavy Duty	
SMP8P	155-180mm Stainless Steel Solid Band (non-perforated) Heavy Duty	

Exhaust Clamps - Flat Back CAD Plated

FBC3000	Flat Back Clamp - CAD Plated - To suit pipe size 3" to 3½"	
FBC3500	Flat Back Clamp - CAD Plated - To suit pipe size 3½" to 3⅝"	
FBC4000	Flat Back Clamp - CAD Plated - To suit pipe size 4" to 4⅛"	
FBC4500	Flat Back Clamp - CAD Plated - To suit pipe size 4½" to 4⅝"	
FBC5000	Flat Back Clamp - CAD Plated - To suit pipe size 5" to 5⅝"	

PRICES ARE FOR EACH INDIVIDUAL ITEM - GST NOT INCLUDED

