



**DAYCO**®

MOVE FORWARD. ALWAYS.™



**AUTO & HD BELTS  
DIMENSIONAL AND  
IDENTIFICATION GUIDE**

2019

[www.daycoaftermarket.com](http://www.daycoaftermarket.com)

# POLY-V SERPENTINE BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Number of Ribs
5030195	3PK0495	19.50	20.16	0.40	3
5030220	3PK0560	22.05	22.71	0.40	3
5030231	3PK0587	23.11	23.67	0.40	3
5030240	3PK0610	24.02	24.68	0.40	3
5030243	3PK0615	24.25	24.91	0.40	3
5030250	3PK0635	25.00	25.66	0.40	3
5030260	3PK0660	26.00	26.66	0.40	3
5030268	3PK0680	26.77	27.43	0.40	3
5030280	3PK0710	28.00	28.66	0.40	3
5030290	3PK0735	29.00	29.66	0.40	3
5030295	3PK0750	29.53	30.19	0.40	3
5030300	3PK0760	30.00	30.66	0.40	3
5030310	3PK0785	31.00	31.66	0.40	3
5030323	3PK0820	32.28	32.94	0.40	3
5030325	3PK0825	32.50	33.16	0.40	3
5030335	3PK0850	33.50	34.16	0.40	3
5030343	3PK0870	34.25	34.81	0.40	3
5030350	3PK0890	35.04	35.70	0.40	3
5030358	3PK0910	35.75	36.41	0.40	3
5030365	3PK0930	36.50	37.16	0.40	3
5030385	3PK0980	38.58	39.24	0.40	3
5030390	3PK0990	39.00	39.66	0.40	3
5030400	3PK1015	40.00	40.66	0.40	3
5030415	3PK1055	41.54	42.20	0.40	3
5030425	3PK1080	42.52	43.18	0.40	3
5030440	3PK1120	44.09	44.75	0.40	3
5030455	3PK1155	45.50	46.16	0.40	3
5030473	3PK1200	47.25	47.81	0.40	3
5040238	4PK0605	23.82	24.48	0.54	4
5040240	4PK0610	24.02	24.68	0.54	4
5040248	4PK0630	24.80	25.46	0.54	4
5040250	4PK0635	25.00	25.66	0.54	4
5040270	4PK0685	27.00	27.66	0.54	4
5040274	4PK0695	27.36	28.02	0.54	4
5040275	4PK0700	27.56	28.22	0.54	4
5040285	4PK0725	28.54	29.20	0.54	4
5040290	4PK0735	29.00	29.66	0.54	4
5040295	4PK0750	29.53	30.19	0.54	4
5040305	4PK0775	30.51	31.17	0.54	4

# POLY-V SERPENTINE BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Number of Ribs
5040310	4PK0785	31.00	31.66	0.54	4
5040313	4PK0795	31.30	31.96	0.54	4
5040315	4PK0800	31.50	32.16	0.54	4
5040320	4PK0815	32.09	32.75	0.54	4
5040323	4PK0820	32.30	32.96	0.54	4
5040325	4PK0825	32.50	33.16	0.54	4
5040330	4PK0840	33.07	33.73	0.54	4
5040333	4PK0845	33.27	33.93	0.54	4
5040335	4PK0850	33.50	34.16	0.54	4
5040338	4PK0860	33.86	34.52	0.54	4
5040340	4PK0865	34.06	34.72	0.54	4
5040343	4PK0870	34.25	34.91	0.54	4
5040345	4PK0875	34.50	35.16	0.54	4
5040347	4PK0880	34.65	35.31	0.54	4
5040350	4PK0890	35.04	35.70	0.54	4
5040353	4PK0895	35.25	35.91	0.54	4
5040355	4PK0900	35.50	36.16	0.54	4
5040358	4PK0910	35.83	36.50	0.54	4
5040360	4PK0915	36.02	36.68	0.54	4
5040362	4PK0920	36.22	36.88	0.54	4
5040365	4PK0925	36.50	37.16	0.54	4
5040368	4PK0935	36.81	37.47	0.54	4
5040370	4PK0940	37.01	37.67	0.54	4
5040373	4PK0945	37.25	37.91	0.54	4
5040375	4PK0955	37.55	38.21	0.54	4
5040378	4PK0960	37.80	38.46	0.54	4
5040382	4PK0970	38.20	38.86	0.54	4
5040385	4PK0980	38.58	39.24	0.54	4
5040388	4PK0985	38.80	39.46	0.54	4
5040390	4PK0990	39.00	39.66	0.54	4
5040395	4PK1005	39.57	40.23	0.54	4
5040398	4PK1010	39.76	40.42	0.54	4
5040400	4PK1015	40.00	40.66	0.54	4
5040405	4PK1030	40.55	41.21	0.54	4
5040410	4PK1040	41.00	41.66	0.54	4
5040413	4PK1050	41.34	42.00	0.54	4
5040418	4PK1062	41.81	42.47	0.54	4

## POLY-V SERPENTINE BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Number of Ribs
5040420	4PK1065	42.00	42.66	0.54	4
5040425	4PK1080	42.52	43.18	0.54	4
5040430	4PK1090	43.00	43.63	0.54	4
5040437	4PK1110	43.70	44.36	0.54	4
5040439	4PK1115	43.90	44.56	0.54	4
5040440	4PK1120	44.09	44.75	0.54	4
5040445	4PK1130	44.50	45.16	0.54	4
5040450	4PK1145	45.08	45.74	0.54	4
5040457	4PK1160	45.70	46.26	0.54	4
5040460	4PK1170	46.06	46.72	0.54	4
5040465	4PK1180	46.50	47.16	0.54	4
5040470	4PK1195	47.05	47.71	0.54	4
5040478	4PK1215	47.75	48.41	0.54	4
5040490	4PK1245	49.02	49.68	0.54	4
5040500	4PK1270	50.00	50.66	0.54	4
5040506	4PK1285	50.59	51.15	0.54	4
5040512	4PK1300	51.20	51.76	0.54	4
5040515	4PK1310	51.58	52.24	0.54	4
5040520	4PK1320	52.00	52.66	0.54	4
5040525	4PK1335	52.56	53.22	0.54	4
5040530	4PK1345	53.00	53.66	0.54	4
5040535	4PK1360	53.54	54.20	0.54	4
5040539	4PK1370	53.94	54.50	0.54	4
5040550	4PK1395	55.00	55.66	0.54	4
5040560	4PK1420	56.00	56.66	0.54	4
5040571	4PK1450	57.09	57.65	0.54	4
5040575	4PK1460	57.50	58.16	0.54	4
5040595	4PK1510	59.50	60.16	0.54	4
5040610	4PK1550	61.02	61.68	0.54	4
5040630	4PK1600	62.99	63.55	0.54	4
5040636	4PK1615	63.60	64.26	0.54	4
5040685	4PK1740	68.50	69.06	0.54	4
5040745	4PK1890	74.41	74.97	0.54	4
5040880	4PK2235	88.00	88.66	0.54	4
5040940	4PK2390	94.09	94.75	0.54	4
5050193	5PK0491	19.33	19.89	0.68	5
5050200	5PK0510	20.08	20.74	0.68	5
5050250	5PK0635	25.00	25.66	0.68	5
5050273	5PK0690	27.25	27.91	0.68	5

## POLY-V SERPENTINE BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Number of Ribs
5050280	5PK0710	28.00	28.66	0.68	5
5050290	5PK0735	29.00	29.66	0.68	5
5050303	5PK0770	30.25	30.91	0.68	5
5050310	5PK0785	31.00	31.66	0.68	5
5050315	5PK0800	31.50	32.16	0.68	5
5050320	5PK0815	32.00	32.66	0.68	5
5050325	5PK0825	32.50	33.16	0.68	5
5050331	5PK0840	33.07	33.63	0.68	5
5050335	5PK0850	33.50	34.13	0.68	5
5050337	5PK0855	33.66	34.32	0.68	5
5050340	5PK0865	34.06	34.68	0.68	5
5050345	5PK0875	34.50	35.13	0.68	5
5050350	5PK0890	35.04	35.70	0.68	5
5050355	5PK0900	35.50	36.16	0.68	5
5050360	5PK0915	36.02	36.68	0.68	5
5050365	5PK0925	36.50	37.16	0.68	5
5050368	5PK0935	36.81	37.47	0.68	5
5050370	5PK0940	37.01	37.67	0.68	5
5050375	5PK0950	37.50	38.16	0.68	5
5050378	5PK0960	37.80	38.46	0.68	5
5050380	5PK0965	38.00	38.63	0.68	5
5050385	5PK0980	38.58	39.24	0.68	5
5050390	5PK0990	39.00	39.66	0.68	5
5050395	5PK1005	39.57	40.23	0.68	5
5050398	5PK1010	39.76	40.42	0.68	5
5050400	5PK1015	40.00	40.66	0.68	5
5050402	5PK1020	40.16	40.72	0.68	5
5050405	5PK1030	40.55	41.21	0.68	5
5050408	5PK1037	40.82	41.38	0.68	5
5050413	5PK1050	41.34	42.00	0.68	5
5050417	5PK1060	41.73	42.39	0.68	5
5050420	5PK1065	42.00	42.66	0.68	5
5050425	5PK1080	42.52	43.18	0.68	5
5050430	5PK1090	43.00	43.66	0.68	5
5050433	5PK1100	43.31	43.97	0.68	5
5050435	5PK1105	43.50	44.16	0.68	5
5050437	5PK1110	43.71	44.36	0.68	5

## POLY-V SERPENTINE BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Number of Ribs
5050440	5PK1120	44.09	44.75	0.68	5
5050445	5PK1130	44.50	45.16	0.68	5
5050448	5PK1137	44.76	45.32	0.68	5
5050450	5PK1145	45.00	45.66	0.68	5
5050455	5PK1155	45.50	46.16	0.68	5
5050460	5PK1170	46.06	46.72	0.68	5
5050470	5PK1195	47.05	47.71	0.68	5
5050475	5PK1205	47.50	48.16	0.68	5
5050478	5PK1215	47.84	48.39	0.68	5
5050480	5PK1220	48.03	48.69	0.68	5
5050486	5PK1235	48.62	49.28	0.68	5
5050490	5PK1245	49.02	49.64	0.68	5
5050500	5PK1270	50.00	50.66	0.68	5
5050505	5PK1285	50.59	51.25	0.68	5
5050510	5PK1295	51.00	51.66	0.68	5
5050513	5PK1305	51.38	51.94	0.68	5
5050520	5PK1320	52.00	52.66	0.68	5
5050530	5PK1345	53.00	53.66	0.68	5
5050540	5PK1370	54.00	54.66	0.68	5
5050547	5PK1390	54.72	55.35	0.68	5
5050551	5PK1400	55.12	55.68	0.68	5
5050565	5PK1435	56.50	57.16	0.68	5
5050570	5PK1450	57.09	57.75	0.68	5
5050580	5PK1475	58.07	58.73	0.68	5
5050595	5PK1510	59.45	60.01	0.68	5
5050608	5PK1545	60.83	61.49	0.68	5
5050618	5PK1568	61.75	62.31	0.68	5
5050630	5PK1600	63.00	63.66	0.68	5
5050635	5PK1615	63.58	64.24	0.68	5
5050645	5PK1640	64.57	65.23	0.68	5
5050650	5PK1650	65.00	65.66	0.68	5
5050653	5PK1655	65.25	65.91	0.68	5
5050658	5PK1670	65.75	66.41	0.68	5
5050661	5PK1680	66.14	66.70	0.68	5
5050665	5PK1690	66.54	67.20	0.68	5
5050685	5PK1740	68.50	69.06	0.68	5
5050689	5PK1750	68.90	69.46	0.68	5
5050695	5PK1765	69.49	70.05	0.68	5
5050705	5PK1790	70.50	71.16	0.68	5

## POLY-V SERPENTINE BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Number of Ribs
5050715	5PK1815	71.50	72.16	0.68	5
5050745	5PK1890	74.50	75.16	0.68	5
5050755	5PK1920	75.59	76.25	0.68	5
5050780	5PK1980	78.00	78.66	0.68	5
5050820	5PK2085	82.09	82.75	0.68	5
5050825	5PK2095	82.50	83.16	0.68	5
5050835	5PK2120	83.50	84.16	0.68	5
5050845	5PK2145	84.50	85.16	0.68	5
5050855	5PK2170	85.50	86.16	0.68	5
5050888	5PK2255	88.78	89.44	0.68	5
5060273	6PK0692	27.24	27.80	0.82	6
5060288	6PK0730	28.75	29.41	0.82	6
5060295	6PK0750	29.53	30.19	0.82	6
5060317	6PK0806	31.73	32.39	0.82	6
5060325	6PK0825	32.50	33.16	0.82	6
5060330	6PK0840	33.07	33.73	0.82	6
5060335	6PK0850	33.50	34.16	0.82	6
5060340	6PK0865	34.06	34.72	0.82	6
5060350	6PK0890	35.04	35.70	0.82	6
5060353	6PK0895	35.25	35.81	0.82	6
5060358	6PK0910	35.75	36.41	0.82	6
5060360	6PK0915	36.02	36.68	0.82	6
5060370	6PK0940	37.01	37.67	0.82	6
5060374	6PK0950	37.40	37.96	0.82	6
5060376	6PK0955	37.60	38.16	0.82	6
5060380	6PK0965	38.00	38.66	0.82	6
5060382	6PK0971	38.23	38.79	0.82	6
5060385	6PK0978	38.50	39.06	0.82	6
5060388	6PK0985	38.82	39.48	0.82	6
5060390	6PK0990	39.00	39.66	0.82	6
5060393	6PK0999	39.33	39.89	0.82	6
5060396	6PK1005	39.57	40.13	0.82	6
5060400	6PK1015	40.00	40.66	0.82	6
5060405	6PK1030	40.55	41.21	0.82	6
5060408	6PK1035	40.75	41.41	0.82	6
5060410	6PK1040	41.00	41.66	0.82	6
5060415	6PK1055	41.54	42.16	0.82	6

## POLY-V SERPENTINE BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Number of Ribs
5060418	6PK1060	41.75	42.41	0.82	6
5060420	6PK1065	42.00	42.66	0.82	6
5060423	6PK1075	42.32	42.98	0.82	6
5060425	6PK1080	42.52	43.15	0.82	6
5060430	6PK1090	43.00	43.66	0.82	6
5060431	6PK1095	43.11	43.77	0.82	6
5060433	6PK1100	43.31	43.97	0.82	6
5060436	6PK1107	43.60	44.23	0.82	6
5060440	6PK1120	44.00	44.66	0.82	6
5060445	6PK1130	44.50	45.16	0.82	6
5060450	6PK1145	45.08	45.74	0.82	6
5060455	6PK1155	45.50	46.16	0.82	6
5060458	6PK1165	45.87	46.53	0.82	6
5060460	6PK1170	46.06	46.72	0.82	6
5060463	6PK1175	46.25	46.91	0.82	6
5060465	6PK1180	46.50	47.16	0.82	6
5060468	6PK1185	46.75	47.41	0.82	6
5060470	6PK1195	47.05	47.68	0.82	6
5060473	6PK1200	47.25	47.91	0.82	6
5060475	6PK1205	47.50	48.16	0.82	6
5060480	6PK1220	48.03	48.59	0.82	6
5060485	6PK1230	48.50	49.16	0.82	6
5060490	6PK1245	49.02	49.68	0.82	6
5060495	6PK1255	49.50	50.16	0.82	6
5060500	6PK1270	50.00	50.66	0.82	6
5060505	6PK1285	50.59	51.25	0.82	6
5060510	6PK1295	51.00	51.66	0.82	6
5060515	6PK1310	51.50	52.16	0.82	6
5060520	6PK1320	52.00	52.66	0.82	6
5060523	6PK1330	52.36	53.02	0.82	6
5060525	6PK1335	52.56	53.19	0.82	6
5060530	6PK1345	53.00	53.66	0.82	6
5060535	6PK1360	53.54	54.20	0.82	6
5060538	6PK1365	53.75	54.41	0.82	6
5060540	6PK1370	54.00	54.66	0.82	6
5060545	6PK1385	54.53	55.09	0.82	6
5060548	6PK1390	54.75	55.41	0.82	6
5060550	6PK1397	55.00	55.56	0.82	6
5060555	6PK1410	55.51	56.17	0.82	6

## POLY-V SERPENTINE BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Number of Ribs
5060560	6PK1420	56.00	56.66	0.82	6
5060564	6PK1432	56.40	56.96	0.82	6
5060570	6PK1450	57.00	57.66	0.82	6
5060573	6PK1455	57.25	57.91	0.82	6
5060575	6PK1460	57.50	58.16	0.82	6
5060578	6PK1465	57.75	58.41	0.82	6
5060585	6PK1485	58.50	59.16	0.82	6
5060590	6PK1500	59.06	59.72	0.82	6
5060595	6PK1510	59.45	60.11	0.82	6
5060597	6PK1517	59.72	60.28	0.82	6
5060600	6PK1525	60.04	60.70	0.82	6
5060605	6PK1537	60.50	61.16	0.82	6
5060610	6PK1550	61.02	61.68	0.82	6
5060613	6PK1555	61.25	61.91	0.82	6
5060615	6PK1560	61.50	62.16	0.82	6
5060620	6PK1575	62.01	62.67	0.82	6
5060625	6PK1590	62.60	63.26	0.82	6
5060630	6PK1600	63.00	63.66	0.82	6
5060635	6PK1615	63.50	64.16	0.82	6
5060640	6PK1625	64.00	64.66	0.82	6
5060643	6PK1630	64.25	64.91	0.82	6
5060645	6PK1640	64.50	65.16	0.82	6
5060650	6PK1650	65.00	65.66	0.82	6
5060655	6PK1665	65.50	66.16	0.82	6
5060658	6PK1670	65.75	66.41	0.82	6
5060660	6PK1675	66.00	66.66	0.82	6
5060663	6PK1685	66.34	66.90	0.82	6
5060665	6PK1690	66.55	67.21	0.82	6
5060667	6PK1695	66.73	67.29	0.82	6
5060668	6PK1697	66.81	67.37	0.82	6
5060670	6PK1700	67.00	67.66	0.82	6
5060675	6PK1715	67.52	68.18	0.82	6
5060680	6PK1730	67.91	68.57	0.82	6
5060685	6PK1740	68.50	69.16	0.82	6
5060690	6PK1755	69.09	69.75	0.82	6
5060695	6PK1765	69.50	70.16	0.82	6
5060701	6PK1780	70.08	70.64	0.82	6

## POLY-V SERPENTINE BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Number of Ribs
5060705	6PK1790	70.50	71.16	0.82	6
5060710	6PK1805	71.06	71.72	0.82	6
5060715	6PK1815	71.50	72.16	0.82	6
5060720	6PK1830	72.05	72.71	0.82	6
5060725	6PK1840	72.50	73.16	0.82	6
5060730	6PK1855	73.03	73.69	0.82	6
5060735	6PK1865	73.50	74.16	0.82	6
5060738	6PK1875	73.75	74.31	0.82	6
5060740	6PK1880	74.02	74.68	0.82	6
5060745	6PK1890	74.50	75.16	0.82	6
5060750	6PK1905	75.00	75.66	0.82	6
5060755	6PK1920	75.59	76.25	0.82	6
5060760	6PK1930	76.11	76.77	0.82	6
5060763	6PK1940	76.38	77.04	0.82	6
5060765	6PK1945	76.50	77.16	0.82	6
5060770	6PK1955	77.10	77.76	0.82	6
5060775	6PK1970	77.56	78.22	0.82	6
5060780	6PK1980	78.00	78.66	0.82	6
5060785	6PK1995	78.54	79.20	0.82	6
5060790	6PK2005	79.00	79.66	0.82	6
5060792	6PK2012	79.21	79.77	0.82	6
5060795	6PK2019	79.53	80.19	0.82	6
5060800	6PK2032	80.00	80.66	0.82	6
5060805	6PK2045	80.51	81.17	0.82	6
5060810	6PK2055	81.00	81.66	0.82	6
5060813	6PK2065	81.30	81.56	0.82	6
5060815	6PK2070	81.50	82.16	0.82	6
5060820	6PK2085	82.09	82.75	0.82	6
5060825	6PK2095	82.50	83.06	0.82	6
5060827	6PK2100	82.68	83.24	0.82	6
5060830	6PK2110	83.07	83.73	0.82	6
5060833	6PK2115	83.25	83.91	0.82	6
5060835	6PK2120	83.50	84.16	0.82	6
5060840	6PK2135	84.00	84.66	0.82	6
5060845	6PK2145	84.50	85.16	0.82	6
5060848	6PK2155	84.75	85.31	0.82	6
5060850	6PK2160	85.04	85.70	0.82	6
5060855	6PK2170	85.50	86.06	0.82	6
5060858	6PK2180	85.75	86.31	0.82	6

## POLY-V SERPENTINE BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Number of Ribs
5060860	6PK2185	86.02	86.68	0.82	6
5060865	6PK2195	86.50	87.16	0.82	6
5060868	6PK2205	86.75	87.41	0.82	6
5060870	6PK2210	87.01	87.64	0.82	6
5060875	6PK2225	87.60	88.16	0.82	6
5060878	6PK2230	87.79	88.45	0.82	6
5060880	6PK2235	88.00	88.66	0.82	6
5060883	6PK2240	88.25	88.91	0.82	6
5060885	6PK2250	88.58	89.24	0.82	6
5060888	6PK2255	88.78	89.44	0.82	6
5060890	6PK2260	89.00	89.66	0.82	6
5060895	6PK2275	89.57	90.23	0.82	6
5060900	6PK2285	90.00	90.66	0.82	6
5060905	6PK2300	90.55	91.21	0.82	6
5060908	6PK2305	90.75	91.31	0.82	6
5060910	6PK2310	91.00	91.66	0.82	6
5060915	6PK2325	91.54	92.20	0.82	6
5060918	6PK2330	91.75	92.41	0.82	6
5060920	6PK2338	92.05	92.61	0.82	6
5060923	6PK2345	92.32	92.88	0.82	6
5060925	6PK2350	92.52	93.08	0.82	6
5060927	6PK2355	92.72	93.28	0.82	6
5060930	6PK2360	93.00	93.56	0.82	6
5060935	6PK2375	93.50	94.16	0.82	6
5060937	6PK2380	93.70	94.36	0.82	6
5060940	6PK2390	94.09	94.75	0.82	6
5060945	6PK2400	94.50	95.16	0.82	6
5060950	6PK2415	95.08	95.64	0.82	6
5060955	6PK2425	95.50	96.06	0.82	6
5060960	6PK2440	96.06	96.62	0.82	6
5060963	6PK2447	96.34	96.90	0.82	6
5060965	6PK2450	96.46	97.02	0.82	6
5060968	6PK2460	96.85	97.41	0.82	6
5060970	6PK2465	97.05	97.71	0.82	6
5060975	6PK2475	97.50	98.16	0.82	6
5060980	6PK2490	98.03	98.69	0.82	6
5060985	6PK2500	98.50	99.16	0.82	6

## POLY-V SERPENTINE BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Number of Ribs
5060988	6PK2510	98.82	99.38	0.82	6
5060990	6PK2515	99.02	99.68	0.82	6
5060995	6PK2525	99.50	100.16	0.82	6
5061000	6PK2540	100.00	100.66	0.82	6
5061005	6PK2555	100.59	101.25	0.82	6
5061010	6PK2565	101.00	101.63	0.82	6
5061015	6PK2580	101.58	102.24	0.82	6
5061020	6PK2590	102.00	102.66	0.82	6
5061024	6PK2601	102.40	102.96	0.82	6
5061025	6PK2605	102.56	103.22	0.82	6
5061030	6PK2615	103.00	103.66	0.82	6
5061033	6PK2623	103.27	103.83	0.82	6
5061038	6PK2635	103.75	104.41	0.82	6
5061045	6PK2655	104.53	105.19	0.82	6
5061050	6PK2670	105.12	105.75	0.82	6
5061055	6PK2680	105.51	106.17	0.82	6
5061062	6PK2698	106.22	106.78	0.82	6
5061065	6PK2705	106.50	107.16	0.82	6
5061070	6PK2720	107.00	107.66	0.82	6
5061075	6PK2730	107.48	108.14	0.82	6
5061080	6PK2745	108.07	108.73	0.82	6
5061090	6PK2770	109.06	109.68	0.82	6
5061093	6PK2775	109.25	109.91	0.82	6
5061098	6PK2790	109.75	110.41	0.82	6
5061105	6PK2805	110.50	111.13	0.82	6
5061110	6PK2820	111.02	111.68	0.82	6
5061115	6PK2830	111.50	112.13	0.82	6
5061120	6PK2845	112.01	112.67	0.82	6
5061123	6PK2850	112.50	113.06	0.82	6
5061130	6PK2870	113.00	113.63	0.82	6
5061143	6PK2900	114.25	114.91	0.82	6
5061150	6PK2920	115.00	115.66	0.82	6
5061178	6PK2990	117.75	118.41	0.82	6
5061185	6PK3010	118.50	119.16	0.82	6
5061188	6PK3018	118.82	119.38	0.82	6
5061195	6PK3035	119.50	120.16	0.82	6
5061200	6PK3050	120.00	120.66	0.82	6
5061203	6PK3055	120.28	120.84	0.82	6
5061210	6PK3073	121.00	121.56	0.82	6

## POLY-V SERPENTINE BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Number of Ribs
5061230	6PK3125	123.03	123.59	0.82	6
5061251	6PK3177	125.08	125.64	0.82	6
5061265	6PK3215	126.58	127.13	0.82	6
5061280	6PK3251	128.00	128.56	0.82	6
5061360	6PK3455	136.02	136.68	0.82	6
5061363	6PK3462	136.30	136.86	0.82	6
5061370	6PK3480	137.00	137.66	0.82	6
5061373	6PK3488	137.32	137.88	0.82	6
5061380	6PK3505	138.00	138.56	0.82	6
5061420	6PK3607	142.01	142.57	0.82	6
5061490	6PK3785	149.00	149.66	0.82	6
5070319	7PK0810	31.89	32.45	0.96	7
5070370	7PK0940	37.01	37.67	0.96	7
5070390	7PK0990	39.00	39.66	0.96	7
5070405	7PK1030	40.50	41.06	0.96	7
5070410	7PK1040	41.00	41.66	0.96	7
5070425	7PK1080	42.52	43.18	0.96	7
5070443	7PK1125	44.29	44.85	0.96	7
5070445	7PK1130	44.50	45.16	0.96	7
5070449	7PK1140	44.88	45.44	0.96	7
5070460	7PK1170	46.06	46.62	0.96	7
5070491	7PK1248	49.13	49.69	0.96	7
5070500	7PK1270	50.00	50.56	0.96	7
5070505	7PK1285	50.59	51.25	0.96	7
5070530	7PK1345	52.95	53.51	0.96	7
5070539	7PK1370	53.94	54.50	0.96	7
5070553	7PK1405	55.32	55.98	0.96	7
5070563	7PK1430	56.30	56.86	0.96	7
5070567	7PK1440	56.69	57.25	0.96	7
5070579	7PK1470	57.87	58.43	0.96	7
5070610	7PK1550	61.02	61.58	0.96	7
5070615	7PK1560	61.50	62.16	0.96	7
5070625	7PK1590	62.60	63.26	0.96	7
5070630	7PK1600	63.00	63.66	0.96	7
5070640	7PK1625	64.00	64.66	0.96	7
5070644	7PK1635	64.37	64.93	0.96	7
5070646	7PK1640	64.57	65.13	0.96	7

## POLY-V SERPENTINE BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Number of Ribs
5070648	7PK1646	64.80	65.36	0.96	7
5070653	7PK1660	65.35	66.01	0.96	7
5070656	7PK1666	65.59	66.15	0.96	7
5070663	7PK1683	66.26	66.82	0.96	7
5070668	7PK1697	66.81	67.37	0.96	7
5070670	7PK1702	67.01	67.57	0.96	7
5070675	7PK1715	67.52	68.18	0.96	7
5070680	7PK1725	68.00	68.66	0.96	7
5070683	7PK1735	68.25	68.91	0.96	7
5070685	7PK1740	68.50	69.16	0.96	7
5070687	7PK1745	68.70	69.26	0.96	7
5070690	7PK1755	69.00	69.66	0.96	7
5070695	7PK1765	69.50	70.16	0.96	7
5070700	7PK1780	70.08	70.74	0.96	7
5070705	7PK1790	70.50	71.16	0.96	7
5070709	7PK1800	70.87	71.43	0.96	7
5070715	7PK1816	71.50	72.06	0.96	7
5070723	7PK1835	72.24	72.80	0.96	7
5070730	7PK1855	73.03	73.59	0.96	7
5070735	7PK1865	73.50	74.13	0.96	7
5070750	7PK1905	75.00	75.66	0.96	7
5070756	7PK1920	75.59	76.15	0.96	7
5070760	7PK1930	76.11	76.77	0.96	7
5070763	7PK1935	76.25	76.91	0.96	7
5070776	7PK1971	77.56	78.12	0.96	7
5070788	7PK2000	78.75	79.41	0.96	7
5070795	7PK2020	79.53	80.09	0.96	7
5070801	7PK2035	80.12	80.68	0.96	7
5070807	7PK2050	80.71	81.27	0.96	7
5070810	7PK2057	80.89	81.45	0.96	7
5070825	7PK2095	82.50	83.16	0.96	7
5070835	7PK2120	83.50	84.16	0.96	7
5070840	7PK2135	84.00	84.66	0.96	7
5070846	7PK2150	84.65	85.21	0.96	7
5070852	7PK2165	85.24	85.80	0.96	7
5070855	7PK2170	85.50	86.16	0.96	7
5070862	7PK2190	86.22	86.78	0.96	7
5070874	7PK2220	87.40	88.06	0.96	7
5070882	7PK2238	88.11	88.67	0.96	7

## POLY-V SERPENTINE BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Number of Ribs
5070885	7PK2250	88.58	89.24	0.96	7
5070890	7PK2260	88.98	89.64	0.96	7
5070895	7PK2275	89.57	90.23	0.96	7
5070900	7PK2285	90.00	90.66	0.96	7
5070905	7PK2300	90.55	91.21	0.96	7
5070915	7PK2325	91.54	92.20	0.96	7
5070923	7PK2345	92.32	92.98	0.96	7
5070931	7PK2365	93.11	93.67	0.96	7
5070933	7PK2370	93.31	93.87	0.96	7
5070950	7PK2415	95.08	95.74	0.96	7
5070955	7PK2426	95.50	96.16	0.96	7
5070961	7PK2442	96.14	96.70	0.96	7
5070973	7PK2470	97.30	97.86	0.96	7
5070975	7PK2475	97.50	98.16	0.96	7
5071000	7PK2540	100.00	100.66	0.96	7
5071005	7PK2555	100.59	101.25	0.96	7
5071008	7PK2560	100.75	101.41	0.96	7
5071013	7PK2573	101.30	101.96	0.96	7
5071040	7PK2645	104.13	104.79	0.96	7
5071045	7PK2655	104.53	105.19	0.96	7
5071055	7PK2680	105.51	106.07	0.96	7
5071065	7PK2705	106.50	107.06	0.96	7
5071133	7PK2875	113.25	113.91	0.96	7
5071140	7PK2895	114.00	114.66	0.96	7
5071195	7PK3035	119.50	120.13	0.96	7
5071213	7PK3082	121.34	121.90	0.96	7
5071248	7PK3170	124.80	125.46	0.96	7
5080300	8PK0760	30.00	30.63	1.10	8
5080335	8PK0850	33.46	34.02	1.10	8
5080360	8PK0915	36.02	36.65	1.10	8
5080365	8PK0925	36.50	37.13	1.10	8
5080370	8PK0940	37.01	37.64	1.10	8
5080375	8PK0955	37.50	38.13	1.10	8
5080385	8PK0980	38.58	39.21	1.10	8
5080390	8PK0990	39.00	39.63	1.10	8
5080393	8PK0995	39.25	39.88	1.10	8
5080400	8PK1015	40.00	40.63	1.10	8



## POLY-V SERPENTINE BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Number of Ribs
5080408	8PK1035	40.75	41.31	1.10	8
5080415	8PK1055	41.54	42.16	1.10	8
5080425	8PK1080	42.52	43.15	1.10	8
5080430	8PK1095	43.11	43.74	1.10	8
5080435	8PK1105	43.50	44.13	1.10	8
5080440	8PK1120	44.09	44.72	1.10	8
5080445	8PK1130	44.50	45.13	1.10	8
5080450	8PK1145	45.08	45.71	1.10	8
5080455	8PK1155	45.50	46.13	1.10	8
5080465	8PK1180	46.50	47.13	1.10	8
5080485	8PK1230	48.50	49.13	1.10	8
5080495	8PK1255	49.50	50.13	1.10	8
5080505	8PK1285	50.59	51.22	1.10	8
5080510	8PK1295	51.00	51.63	1.10	8
5080515	8PK1310	51.58	52.20	1.10	8
5080525	8PK1335	52.56	53.19	1.10	8
5080530	8PK1345	53.00	53.63	1.10	8
5080537	8PK1365	53.74	54.37	1.10	8
5080539	8PK1370	53.94	54.50	1.10	8
5080545	8PK1385	54.53	55.16	1.10	8
5080550	8PK1395	55.00	55.63	1.10	8
5080555	8PK1410	55.50	56.13	1.10	8
5080560	8PK1420	56.00	56.63	1.10	8
5080565	8PK1435	56.50	57.13	1.10	8
5080570	8PK1450	57.09	57.72	1.10	8
5080575	8PK1460	57.50	58.13	1.10	8
5080580	8PK1475	58.00	58.63	1.10	8
5080585	8PK1485	58.50	59.13	1.10	8
5080590	8PK1500	59.06	59.68	1.10	8
5080595	8PK1511	59.50	60.13	1.10	8
5080600	8PK1525	60.04	60.67	1.10	8
5080605	8PK1535	60.50	61.13	1.10	8
5080610	8PK1550	61.02	61.65	1.10	8
5080615	8PK1560	61.50	62.13	1.10	8
5080620	8PK1575	62.01	62.64	1.10	8
5080622	8PK1580	62.21	62.76	1.10	8
5080625	8PK1590	62.60	63.23	1.10	8
5080630	8PK1600	63.00	63.63	1.10	8
5080635	8PK1615	63.58	64.21	1.10	8

## POLY-V SERPENTINE BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Number of Ribs
5080640	8PK1625	64.00	64.63	1.10	8
5080645	8PK1640	64.57	65.20	1.10	8
5080650	8PK1650	65.00	65.63	1.10	8
5080655	8PK1665	65.55	66.18	1.10	8
5080660	8PK1675	66.00	66.66	1.10	8
5080663	8PK1680	66.25	66.88	1.10	8
5080665	8PK1690	66.54	67.09	1.10	8
5080670	8PK1700	67.00	67.63	1.10	8
5080675	8PK1715	67.52	68.15	1.10	8
5080680	8PK1725	68.00	68.63	1.10	8
5080685	8PK1740	68.50	69.13	1.10	8
5080690	8PK1755	69.09	69.72	1.10	8
5080695	8PK1765	69.50	70.13	1.10	8
5080700	8PK1780	70.08	70.71	1.10	8
5080705	8PK1790	70.50	71.13	1.10	8
5080710	8PK1805	71.06	71.69	1.10	8
5080715	8PK1815	71.50	72.13	1.10	8
5080720	8PK1830	72.05	72.68	1.10	8
5080725	8PK1840	72.50	73.13	1.10	8
5080730	8PK1855	73.03	73.66	1.10	8
5080732	8PK1860	73.23	73.79	1.10	8
5080735	8PK1865	73.50	74.13	1.10	8
5080740	8PK1880	74.02	74.64	1.10	8
5080745	8PK1890	74.50	75.13	1.10	8
5080750	8PK1905	75.00	75.63	1.10	8
5080755	8PK1920	75.59	76.22	1.10	8
5080760	8PK1930	76.11	76.74	1.10	8
5080765	8PK1945	76.58	77.20	1.10	8
5080770	8PK1955	77.00	77.63	1.10	8
5080775	8PK1970	77.56	78.19	1.10	8
5080780	8PK1980	78.00	78.63	1.10	8
5080785	8PK1995	78.54	79.17	1.10	8
5080790	8PK2005	78.94	79.57	1.10	8
5080795	8PK2020	79.53	80.16	1.10	8
5080800	8PK2032	80.00	80.63	1.10	8
5080805	8PK2045	80.51	81.14	1.10	8
5080810	8PK2055	81.00	81.63	1.10	8

## POLY-V SERPENTINE BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Number of Ribs
5080813	8PK2065	81.30	81.86	1.10	8
5080815	8PK2070	81.50	82.06	1.10	8
5080820	8PK2085	82.09	82.72	1.10	8
5080825	8PK2095	82.50	83.13	1.10	8
5080830	8PK2110	83.07	83.70	1.10	8
5080835	8PK2120	83.50	84.13	1.10	8
5080840	8PK2135	84.06	84.68	1.10	8
5080845	8PK2145	84.45	85.01	1.10	8
5080850	8PK2160	85.00	85.63	1.10	8
5080855	8PK2170	85.50	86.13	1.10	8
5080860	8PK2185	86.02	86.58	1.10	8
5080865	8PK2196	86.50	87.06	1.10	8
5080868	8PK2205	86.75	87.31	1.10	8
5080875	8PK2225	87.60	88.23	1.10	8
5080880	8PK2235	88.00	88.66	1.10	8
5080886	8PK2250	88.58	89.14	1.10	8
5080890	8PK2260	89.00	89.66	1.10	8
5080895	8PK2275	89.57	90.20	1.10	8
5080900	8PK2285	90.00	90.63	1.10	8
5080905	8PK2300	90.50	91.16	1.10	8
5080910	8PK2310	91.00	91.56	1.10	8
5080915	8PK2325	91.50	92.13	1.10	8
5080920	8PK2337	92.00	92.63	1.10	8
5080925	8PK2350	92.50	93.13	1.10	8
5080928	8PK2355	92.75	93.36	1.10	8
5080933	8PK2370	93.30	93.93	1.10	8
5080940	8PK2390	94.00	94.63	1.10	8
5080945	8PK2400	94.50	95.13	1.10	8
5080950	8PK2413	95.08	95.64	1.10	8
5080953	8PK2420	95.25	95.91	1.10	8
5080957	8PK2430	95.67	96.23	1.10	8
5080962	8PK2443	96.18	96.74	1.10	8
5080970	8PK2465	97.00	97.66	1.10	8
5080980	8PK2490	98.03	98.66	1.10	8
5080986	8PK2505	98.62	99.18	1.10	8
5080990	8PK2515	99.02	99.64	1.10	8
5080993	8PK2520	99.25	99.91	1.10	8
5081000	8PK2540	100.00	100.63	1.10	8
5081005	8PK2555	100.50	101.13	1.10	8

## POLY-V SERPENTINE BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Number of Ribs
5081020	8PK2590	102.00	102.63	1.10	8
5081025	8PK2605	102.50	103.16	1.10	8
5081035	8PK2630	103.54	104.17	1.10	8
5081041	8PK2643	104.06	104.61	1.10	8
5081050	8PK2670	105.00	105.66	1.10	8
5081055	8PK2680	105.51	106.07	1.10	8
5081059	8PK2690	105.91	106.47	1.10	8
5081065	8PK2705	106.50	107.13	1.10	8
5081080	8PK2745	108.00	108.63	1.10	8
5081088	8PK2760	108.75	109.38	1.10	8
5081093	8PK2775	109.25	109.88	1.10	8
5081100	8PK2795	110.04	110.67	1.10	8
5081103	8PK2800	110.25	110.91	1.10	8
5081125	8PK2860	112.60	113.23	1.10	8
5081145	8PK2910	114.50	115.06	1.10	8
5081155	8PK2935	115.50	116.06	1.10	8
5081178	8PK2995	117.91	118.54	1.10	8
5081190	8PK3025	119.09	119.72	1.10	8
5081195	8PK3035	119.49	120.12	1.10	8
5081207	8PK3067	120.75	121.31	1.10	8
5081213	8PK3080	121.26	121.89	1.10	8
5081217	8PK3090	121.65	121.65	1.10	8
5081223	8PK3106	122.28	122.91	1.10	8
5081244	8PK3160	124.41	124.97	1.10	8
5081254	8PK3184	125.35	125.91	1.10	8
5081260	8PK3200	126.00	126.63	1.10	8
5081265	8PK3215	126.58	127.20	1.10	8
5081294	8PK2388	129.45	130.01	1.10	8
5081300	8PK3300	130.00	130.66	1.10	8
5081305	8PK3315	130.50	131.06	1.10	8
5081325	8PK3365	132.50	133.13	1.10	8
5081333	8PK3385	133.25	133.88	1.10	8
5081346	8PK3420	134.65	135.21	1.10	8
5081352	8PK3435	135.24	135.80	1.10	8
5081363	8PK3462	136.30	136.93	1.10	8
5081369	8PK3477	136.89	137.45	1.10	8
5081373	8PK3488	137.32	137.95	1.10	8

## POLY-V SERPENTINE BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Number of Ribs
5081490	8PK3785	149.00	149.63	1.10	8
5090500	9PK1270	50.00	50.56	1.24	9
5090610	9PK1550	61.00	61.63	1.24	9
5090850	9PK2160	85.00	85.56	1.24	9
5100438	10PK1110	43.75	44.38	1.38	10
5100465	10PK1180	46.50	47.13	1.38	10
5100495	10PK1255	49.50	50.13	1.38	10
5100503	10PK1275	50.25	50.91	1.38	10
5100510	10PK1295	51.00	51.63	1.38	10
5100518	10PK1315	51.77	52.40	1.38	10
5100533	10PK1355	53.35	53.97	1.38	10
5100540	10PK1370	54.00	54.63	1.38	10
5100555	10PK1410	55.50	56.13	1.38	10
5100565	10PK1435	56.50	57.13	1.38	10
5100568	10PK1440	56.75	57.38	1.38	10
5100575	10PK1460	57.50	58.13	1.38	10
5100580	10PK1475	58.00	58.63	1.38	10
5100585	10PK1485	58.50	59.13	1.38	10
5100600	10PK1525	60.04	60.67	1.38	10
5100604	10PK1535	60.43	60.99	1.38	10
5100608	10PK1545	60.83	61.46	1.38	10
5100613	10PK1555	61.25	61.88	1.38	10
5100615	10PK1560	61.50	62.16	1.38	10
5100630	10PK1600	63.00	63.63	1.38	10
5100635	10PK1615	63.58	64.24	1.38	10
5100640	10PK1625	64.00	64.63	1.38	10
5100655	10PK1665	65.55	66.18	1.38	10
5100660	10PK1675	66.00	66.63	1.38	10
5100665	10PK1690	66.54	67.16	1.38	10
5100670	10PK1700	67.00	67.66	1.38	10
5100678	10PK1720	67.75	68.38	1.38	10
5100688	10PK1745	68.75	69.38	1.38	10
5100710	10PK1805	71.06	71.69	1.38	10
5100715	10PK1815	71.46	72.02	1.38	10
5100720	10PK1830	72.05	72.68	1.38	10
5100730	10PK1855	73.03	73.66	1.38	10
5100733	10PK1860	73.25	73.91	1.38	10
5100740	10PK1880	74.00	74.56	1.38	10
5100746	10PK1895	74.61	75.17	1.38	10

## POLY-V SERPENTINE BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Number of Ribs
5100749	10PK1903	74.92	75.48	1.38	10
5100764	10PK1940	76.38	76.94	1.38	10
5100770	10PK1955	77.00	77.63	1.38	10
5100810	10PK2057	81.00	81.56	1.38	10
5100815	10PK2070	81.50	82.06	1.38	10
5100837	10PK2125	83.66	84.22	1.38	10
5100840	10PK2135	84.00	84.56	1.38	10
5100845	10PK2145	84.50	85.13	1.38	10
5100855	10PK2170	85.50	86.13	1.38	10
5100860	10PK2185	86.02	86.58	1.38	10
5100864	10PK2195	86.42	86.98	1.38	10
5100870	10PK2210	87.01	87.57	1.38	10
5100874	10PK2220	87.40	87.96	1.38	10
5100880	10PK2235	88.00	88.63	1.38	10
5100883	10PK2244	88.35	88.91	1.38	10
5100893	10PK2270	89.37	89.93	1.38	10
5100921	10PK2340	92.13	92.69	1.38	10
5100929	10PK2360	92.91	93.47	1.38	10
5100935	10PK2375	93.50	94.06	1.38	10
5100948	10PK2405	94.75	95.31	1.38	10
5100953	10PK2420	95.28	95.84	1.38	10
5100975	10PK2475	97.50	98.06	1.38	10
5100983	10PK2495	98.25	98.81	1.38	10
5100994	10PK2525	99.41	99.97	1.38	10
5101006	10PK2555	100.59	101.15	1.38	10
5101010	10PK2565	100.98	101.54	1.38	10
5101016	10PK2580	101.58	102.13	1.38	10
5101030	10PK2616	103.01	103.56	1.38	10
5101050	10PK2667	105.00	105.56	1.38	10
5101079	10PK2740	107.90	108.46	1.38	10
5110841	11PK2137	84.13	84.69	1.52	11
5120399	12PK1014	39.92	40.48	1.66	12
5120457	12PK1161	45.71	46.27	1.66	12
5120477	12PK1212	47.72	48.28	1.66	12
5120483	12PK1228	48.35	48.91	1.66	12
5120525	12PK1335	52.56	53.19	1.66	12
5120555	12PK1410	55.51	56.14	1.66	12

## POLY-V SERPENTINE BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Number of Ribs
5120570	12PK1448	57.01	57.57	1.66	12
5120603	12PK1530	60.30	60.93	1.66	12
5120640	12PK1625	63.98	64.54	1.66	12
5120646	12PK1640	64.57	65.13	1.66	12
5120702	12PK1785	70.28	70.90	1.66	12
5120720	12PK1830	72.05	72.68	1.66	12
5120738	12PK1875	73.82	74.45	1.66	12
5120783	12PK1990	78.30	78.86	1.66	12
5120788	12PK2000	78.74	79.30	1.66	12
5120815	12PK2070	81.58	82.14	1.66	12
5120827	12PK2100	82.68	83.24	1.66	12
5120843	12PK2140	84.25	84.88	1.66	12
5120852	12PK2165	85.24	85.80	1.66	12
5120858	12PK2180	85.83	86.39	1.66	12
5120865	12PK2195	86.50	87.13	1.66	12
5120870	12PK2210	87.01	87.57	1.66	12
5120873	12PK2215	87.25	87.88	1.66	12
5120876	12PK2225	87.60	88.16	1.66	12
5120880	12PK2235	88.00	88.66	1.66	12
5120885	12PK2250	88.50	89.06	1.66	12
5120895	12PK2275	89.50	90.06	1.66	12
5120903	12PK2290	90.25	90.88	1.66	12
5120910	12PK2310	91.00	91.66	1.66	12
5120919	12PK2335	91.93	92.49	1.66	12
5120925	12PK2350	92.50	93.16	1.66	12
5120937	12PK2380	93.70	94.26	1.66	12
5120965	12PK2450	96.46	97.02	1.66	12
5120978	12PK2485	97.75	98.38	1.66	12
5120980	12PK2490	98.00	98.56	1.66	12
5120985	12PK2500	98.50	99.16	1.66	12
5121010	12PK2565	100.98	101.54	1.66	12
5121040	12PK2640	104.00	104.66	1.66	12
5121050	12PK2665	105.00	105.56	1.66	12
5121128	12PK2865	112.75	113.41	1.66	12
5121140	12PK2895	113.98	114.54	1.66	12
5140345	14PK0875	34.50	35.13	1.94	14
5140430	14PK1090	43.00	43.63	1.94	14
5140450	14PK1145	45.08	45.71	1.94	14
5140495	14PK1255	49.50	50.13	1.94	14

## POLY-V SERPENTINE BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Number of Ribs
5140520	14PK1320	52.00	52.63	1.94	14
5140525	14PK1335	52.56	53.19	1.94	14
5140533	14PK1355	53.35	53.97	1.94	14
5140580	14PK1473	58.07	58.70	1.94	14
5140600	14PK1525	60.04	60.67	1.94	14
5140660	14PK1675	66.00	66.63	1.94	14
5140683	14PK1735	68.31	68.94	1.94	14
5150580	15PK1475	58.07	58.70	2.08	15
5150680	15PK1725	68.00	68.63	2.08	15
5150730	15PK1855	73.03	73.66	2.08	15
6050565	5PKK1435	56.49	57.50	0.68	5
6050610	5PKK1550	61.02	62.03	0.68	5
6050612	5PKK1555	61.22	62.23	0.68	5
6060470	6PKK1195	47.05	48.18	0.82	6
6060502	6PKK1276	50.24	51.24	0.82	6
6060520	6PKK1320	51.97	52.97	0.82	6
6060650	6PKK1650	65.00	66.01	0.82	6
6060654	6PK1661	65.39	66.40	0.82	6
6060673	6PKK1708	67.25	68.26	0.82	6
6060702	6PKK1783	70.19	71.20	0.82	6
6060719	6PKK1825	71.85	72.98	0.82	6
6060724	6PKK1840	72.44	73.57	0.82	6
6060728	6PKK1850	72.84	73.84	0.82	6
6060730	6PKK1855	73.03	74.16	0.82	6
6060809	6PKK2056	80.94	81.95	0.82	6
6060861	6PKK2188	86.14	87.15	0.82	6
6060866	6PKK2200	86.61	87.62	0.82	6
6060898	6PKK2281	89.80	90.81	0.82	6
6060902	6PKK2290	90.16	91.16	0.82	6
6061134	6PKK2880	113.39	114.39	0.82	6
6070535	7PKK1360	53.54	54.67	0.96	7
6070550	7PKK1400	55.12	56.25	0.96	7
6070787	7PKK2000	78.74	79.75	0.96	7
6070817	7PKK2074	81.65	82.66	0.96	7
6071012	7PKK2570	101.18	102.19	0.96	7
6071134	7PKK2880	113.39	114.39	0.96	7
6071161	7PKK2950	116.14	117.15	0.96	7

## POLY-V SERPENTINE BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Number of Ribs
6080522	8PKK1327	52.24	53.25	1.10	8
6080533	8PKK1355	53.35	54.35	1.10	8
6080557	8PKK1415	55.71	56.71	1.10	8
6080566	8PKK1438	56.61	57.62	1.10	8
6080570	8PKK1448	57.01	58.01	1.10	8
6080719	8PKK1827	71.93	72.93	1.10	8
6081255	8PKK3188	125.51	126.52	1.10	8
6081403	8PKK3563	140.27	141.28	1.10	8
6100672	10PKK1707	67.21	68.09	1.38	10
6100736	10PKK1870	73.62	74.50	1.38	10
6100741	10PKK1883	74.13	75.01	1.38	10
A050612	5PK1555	61.22	61.75	0.68	5
A060398	6PK1010	39.76	39.70	0.82	6
A060436	6PK1107	43.60	44.13	0.82	6
A060470	6PK1193	46.97	47.50	0.82	6
A060475	6PK1205	47.50	48.03	0.82	6
A060477	6PK1212	47.72	48.25	0.82	6
A060480	6PK1220	48.03	48.57	0.82	6
A060563	6PK1430	56.30	56.83	0.82	6
A060610	6PK1550	61.02	61.56	0.82	6
A060663	6PK1683	66.26	66.79	0.82	6
A060664	6PK1686	66.38	66.91	0.82	6
A060710	6PK1805	71.06	71.60	0.82	6
A060730	6PK1854	72.99	73.53	0.82	6
A060763	6PK1940	76.38	76.91	0.82	6
A060767	6PK1948	76.69	77.23	0.82	6
A060815	6PK2070	81.50	82.03	0.82	6
A060850	6PK2160	85.04	85.57	0.82	6
A060855	6PK2170	85.50	86.03	0.82	6
A060860	6PK2185	86.02	86.56	0.82	6
A060868	6PK2205	86.75	87.28	0.82	6
A060875	6PK2225	87.60	88.13	0.82	6
A060878	6PK2230	87.79	88.33	0.82	6
A060880	6PK2235	88.00	88.53	0.82	6
A060908	6PK2305	90.75	91.28	0.82	6
A060915	6PK2325	91.54	92.07	0.82	6
A061382	6PK3510	138.19	138.72	0.82	6
A070382	7PK0970	38.19	38.72	0.96	7
A070407	7PK1035	40.75	41.28	0.96	7

## POLY-V SERPENTINE BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Number of Ribs
A070416	7PK1056	41.57	42.10	0.96	7
A070491	7PK1248	49.13	49.67	0.96	7
A070508	7PK1290	50.79	51.32	0.96	7
A070673	7PK1710	67.32	67.86	0.96	7
A070795	7PK2020	79.53	80.06	0.96	7
A070810	7PK2057	80.89	81.43	0.96	7
A070830	7PK2109	83.03	83.57	0.96	7
A080661	8PK1680	66.14	66.68	1.10	8
A080851	8PK2162	85.12	85.65	1.10	8
E030195	3PKE496	0.00	0.00	0.40	3
E030198	3PKE503	0.00	0.00	0.40	3
E030250	3PKE635	0.00	0.00	0.40	3
E030268	3PKE681	27.48	28.05	0.40	3
E030296	3PKE752	0.00	0.00	0.40	3
E030301	3PKE765	0.00	0.00	0.40	3
E030305	3PKE774	0.00	0.00	0.40	3
E030313	3PKE794	0.00	0.00	0.40	3
E030320	3PKE812	32.76	33.32	0.40	3
E030333	3PKE847	0.00	0.00	0.40	3
E040238	4PKE605	0.00	0.00	0.54	4
E040246	4PKE625	0.00	0.00	0.54	4
E040262	4PKE665	26.85	27.42	0.54	4
E040290	4PKE737	0.00	0.00	0.54	4
E040297	4PKE754	0.00	0.00	0.54	4
E040302	4PKE767	0.00	0.00	0.54	4
E040309	4PKE784	0.00	0.00	0.54	4
E040312	4PKE794	0.00	0.00	0.54	4
E040318	4PKE808	0.00	0.00	0.54	4
E040320	4PKE814	0.00	0.00	0.54	4
E040328	4PKE833	0.00	0.00	0.54	4
E040340	4PKE864	0.00	0.00	0.54	4
E040345	4PKE902	35.35	35.92	0.54	4
E040350	4PKE888	0.00	0.00	0.54	4
E040356	4PKE903	0.00	0.00	0.54	4
E040357	4PKE907	0.00	0.00	0.54	4
E040359	4PKE912	0.00	0.00	0.54	4
E040361	4PKE918	0.00	0.00	0.54	4

## POLY-V SERPENTINE BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Number of Ribs
E040363	4PKE922	0.00	0.00	0.54	4
E040367	4PKE932	0.00	0.00	0.54	4
E040369	4PKE937	0.00	0.00	0.54	4
E040372	4PKE944	0.00	0.00	0.54	4
E040375	4PKE953	0.00	0.00	0.54	4
E050265	5PKE673	0.00	0.00	0.68	5
E050271	5PKE688	0.00	0.00	0.68	5
E050274	5PKE695	0.00	0.00	0.68	5
E050326	5PKE829	0.00	0.00	0.68	5
E060266	6PKE676	0.00	0.00	0.82	6
E060281	6PKE715	0.00	0.00	0.82	6
E060335	6PKE850	0.00	0.00	0.82	6
E060393	6PKE997	0.00	0.00	0.82	6
E060394	6PKE1002	0.00	0.00	0.82	6
E060443	6PKE1125	0.00	0.00	0.82	6

## V-BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Angle of Belt
9260	06A0660	26	26.31	0.28	36
9280	06A0710	28	28.31	0.28	36
9295	06A0750	29.5	29.81	0.28	36
9310	06A0785	31	31.31	0.28	36
9320	06A0815	32	32.31	0.28	36
9330	06A0840	33	33.31	0.28	36
9335	06A0850	33.5	33.81	0.28	36
9340	06A0865	34	34.31	0.28	36
9350	06A0890	35	35.31	0.28	36
9355	06A0900	35.5	35.81	0.28	36
9365	06A0925	36.5	36.81	0.28	36
9375	06A0950	37.5	37.81	0.28	36
9390	06A0990	39	39.31	0.28	36
9410	06A1040	41	41.31	0.28	36
11230	08A0585	23	23.13	0.33	36
11235	08A0595	23.5	23.63	0.33	36
11275	08A0700	27.5	27.63	0.33	36
11308	08A0780	30.75	30.88	0.33	36
11325	08A0825	32.5	32.63	0.33	36
11335	08A0850	33.5	33.63	0.33	36
11345	08A0875	34.5	34.63	0.33	36
11360	08A0915	36	36.13	0.33	36
11375	08A0955	37.5	37.63	0.33	36
11385	08A0980	38.5	38.63	0.33	36
11390	08A0990	39	39.13	0.33	36
11405	08A1030	40.5	40.63	0.33	36
11420	08A1065	42	42.13	0.33	36
11450	08A1145	45	45.13	0.33	36
11460	08A1170	46	46.13	0.33	36
11495	08A1255	49.5	49.63	0.33	36
15208	11A0530	20.8	21.37	0.44	36
15215	11A0545	21.5	22.07	0.44	36
15225	11A0570	22.5	23.07	0.44	36
15235	11A0595	23.5	24.06	0.44	36
15240	11A0610	24	24.57	0.44	36
15245	11A0620	24.5	25.07	0.44	36
15250	11A0635	25	25.57	0.44	36

# V-BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Angle of Belt
15255	11A0650	25.5	26.07	0.44	36
15260	11A0660	26	26.57	0.44	36
15270	11A0685	27	27.57	0.44	36
15275	11A0700	27.5	28.07	0.44	36
15280	11A0710	28	28.57	0.44	36
15285	11A0725	28.5	29.07	0.44	36
15290	11A0735	29	29.57	0.44	36
15295	11A0750	29.5	30.07	0.44	36
15298	11A0755	29.75	30.32	0.44	36
15300	11A0760	30	30.57	0.44	36
15305	11A0775	30.5	31.07	0.44	36
15310	11A0785	31	31.57	0.44	36
15315	11A0800	31.5	32.07	0.44	36
15320	11A0815	32	32.57	0.44	36
15325	11A0825	32.5	33.07	0.44	36
15328	11A0830	32.75	33.32	0.44	36
15330	11A0840	33	33.57	0.44	36
15335	11A0850	33.5	34.07	0.44	36
15340	11A0865	34	34.57	0.44	36
15345	11A0875	34.5	35.07	0.44	36
15348	11A0885	34.75	35.32	0.44	36
15350	11A0890	35	35.57	0.44	36
15355	11A0900	35.5	36.07	0.44	36
15358	11A0910	35.75	36.32	0.44	36
15360	11A0915	36	36.57	0.44	36
15365	11A0925	36.5	37.07	0.44	36
15370	11A0940	37	37.57	0.44	36
15375	11A0950	37.5	38.07	0.44	36
15380	11A0965	38	38.57	0.44	36
15385	11A0980	38.5	39.07	0.44	36
15388	11A0985	38.75	39.32	0.44	36
15390	11A0990	39	39.57	0.44	36
15395	11A1005	39.5	40.07	0.44	36
15400	11A1015	40	40.57	0.44	36
15405	11A1030	40.5	41.07	0.44	36
15410	11A1040	41	41.57	0.44	36
15415	11A1055	41.5	42.07	0.44	36
15418	11A1060	41.75	42.32	0.44	36
15420	11A1065	42	42.57	0.44	36

# V-BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Angle of Belt
15423	11A1075	42.25	42.82	0.44	36
15425	11A1080	42.5	43.07	0.44	36
15430	11A1090	43	43.57	0.44	36
15431	11A1091	43	43.75	0.45	34
15435	11A1105	43.5	44.07	0.44	36
15440	11A1120	44	44.57	0.44	36
15445	11A1130	44.5	45.07	0.44	36
15450	11A1145	45	45.57	0.44	36
15455	11A1155	45.5	46.07	0.44	36
15460	11A1170	46	46.57	0.44	36
15465	11A1180	46.5	47.07	0.44	36
15470	11A1195	47	47.57	0.44	36
15472	11A1197	47.15	47.72	0.44	36
15475	11A1205	47.5	48.07	0.44	36
15480	11A1220	48	48.57	0.44	36
15483	11A1225	48.25	48.82	0.44	36
15485	11A1230	48.5	49.07	0.44	36
15490	11A1245	49	49.57	0.44	36
15495	11A1255	49.5	50.07	0.44	36
15500	11A1270	50	50.57	0.44	36
15505	11A1285	50.5	51.07	0.44	36
15510	11A1295	51	51.57	0.44	36
15515	11A1310	51.5	52.07	0.44	36
15520	11A1320	52	52.57	0.44	36
15525	11A1335	52.5	53.07	0.44	36
15530	11A1345	53	53.57	0.44	36
15535	11A1360	53.5	54.07	0.44	36
15540	11A1370	54	54.57	0.44	36
15545	11A1385	54.5	55.07	0.44	36
15550	11A1395	55	55.57	0.44	36
15555	11A1410	55.5	56.07	0.44	36
15560	11A1420	56	56.57	0.44	36
15565	11A1435	56.5	57.07	0.44	36
15570	11A1450	57	57.57	0.44	36
15571	11A1451	57	57.75	0.45	34
15575	11A1460	57.5	58.07	0.44	36
15580	11A1475	58	58.57	0.44	36

# V-BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Angle of Belt
15585	11A1485	58.5	59.07	0.44	36
15590	11A1500	59	59.57	0.44	36
15595	11A1510	59.5	60.07	0.44	36
15600	11A1525	60	60.57	0.44	36
15605	11A1535	60.5	61.07	0.44	36
15610	11A1550	61	61.57	0.44	36
15615	11A1560	61.5	62.07	0.44	36
15620	11A1575	62	62.57	0.44	36
15625	11A1585	62.5	63.07	0.44	36
15630	11A1600	63	63.57	0.44	36
15635	11A1615	63.5	64.07	0.44	36
15640	11A1625	64	64.57	0.44	36
15645	11A1640	64.5	65.07	0.44	36
15650	11A1650	65	65.57	0.44	36
15660	11A1675	66	66.57	0.44	36
15670	11A1700	67	67.57	0.44	36
15680	11A1725	68	68.57	0.44	36
15700	11A1780	70	70.57	0.44	36
15720	11A1830	72	72.57	0.44	36
15745	11A1890	74.5	75.07	0.44	36
17245	13A0620	24.5	24.76	0.53	36
17250	13A0635	25	25.26	0.53	36
17255	13A0650	25.5	25.76	0.53	36
17260	13A0660	26	26.26	0.53	36
17265	13A0675	26.5	26.76	0.53	36
17270	13A0685	27	27.26	0.53	36
17280	13A0710	28	28.27	0.53	36
17285	13A0725	28.5	28.77	0.53	36
17290	13A0735	29	29.27	0.53	36
17293	13A0745	29.25	29.51	0.53	36
17295	13A0750	29.5	29.76	0.53	36
17300	13A0760	30	30.27	0.53	36
17305	13A0775	30.5	30.77	0.53	36
17313	13A0795	31.25	31.52	0.53	36
17315	13A0800	31.5	31.77	0.53	36
17320	13A0815	32	32.27	0.53	36
17325	13A0825	32.5	32.76	0.53	36
17330	13A0840	33	33.27	0.53	36
17335	13A0850	33.5	33.77	0.53	36

# V-BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Angle of Belt
17340	13A0865	34	34.27	0.53	36
17343	13A0870	34.25	34.52	0.53	36
17350	13A0890	35	35.27	0.53	36
17355	13A0900	35.5	35.77	0.53	36
17360	13A0915	36	36.27	0.53	36
17365	13A0925	36.5	36.77	0.53	36
17370	13A0940	37	37.27	0.53	36
17375	13A0950	37.5	37.77	0.53	36
17380	13A0965	38	38.27	0.53	36
17385	13A0980	38.5	38.77	0.53	36
17390	13A0990	39	39.27	0.53	36
17395	13A1005	39.5	39.77	0.53	36
17400	13A1015	40	40.27	0.53	36
17403	13A1020	40.25	40.51	0.53	36
17405	13A1030	40.5	40.77	0.53	36
17410	13A1040	41	41.27	0.53	36
17415	13A1055	41.5	41.77	0.53	36
17420	13A1065	42	42.27	0.53	36
17425	13A1080	42.5	42.77	0.53	36
17430	13A1090	43	43.27	0.53	36
17435	13A1105	43.5	43.77	0.53	36
17440	13A1120	44	44.27	0.53	36
17443	13A1125	44.25	44.52	0.53	36
17448	13A1135	44.75	45.02	0.53	36
17450	13A1145	45	45.27	0.53	36
17453	13A1150	45.25	45.51	0.53	36
17455	13A1155	45.5	45.77	0.53	36
17460	13A1170	46	46.27	0.53	36
17463	13A1175	46.25	46.52	0.53	36
17465	13A1180	46.5	46.76	0.53	36
17470	13A1195	47	47.27	0.53	36
17475	13A1205	47.5	47.77	0.53	36
17480	13A1220	48	48.27	0.53	36
17485	13A1230	48.5	48.77	0.53	36
17490	13A1245	49	49.27	0.53	36
17495	13A1255	49.5	49.77	0.53	36
17500	13A1270	50	50.26	0.53	36



# V-BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Angle of Belt
17505	13A1285	50.5	50.77	0.53	36
17510	13A1295	51	51.27	0.53	36
17515	13A1310	51.5	51.77	0.53	36
17520	13A1320	52	52.27	0.53	36
17525	13A1335	52.5	52.77	0.53	36
17530	13A1345	53	53.27	0.53	36
17540	13A1370	54	54.27	0.53	36
17548	13A1390	54.75	55.02	0.53	36
17550	13A1395	55	55.27	0.53	36
17555	13A1410	55.5	55.77	0.53	36
17560	13A1420	56	56.27	0.53	36
17565	13A1435	56.5	56.77	0.53	36
17570	13A1450	57	57.27	0.53	36
17580	13A1475	58	58.27	0.53	36
17585	13A1485	58.5	58.77	0.53	36
17590	13A1500	59	59.27	0.53	36
17595	13A1510	59.5	59.77	0.53	36
17600	13A1525	60	60.27	0.53	36
17605	13A1535	60.5	60.77	0.53	36
17610	13A1550	61	61.27	0.53	36
17615	13A1560	61.5	61.77	0.53	36
17620	13A1575	62	62.27	0.53	36
17625	13A1585	62.5	62.77	0.53	36
17630	13A1600	63	63.27	0.53	36
17635	13A1615	63.5	63.77	0.53	36
17640	13A1625	64	64.27	0.53	36
17645	13A1640	64.5	64.77	0.53	36
17650	13A1650	65	65.27	0.53	36
17655	13A1665	65.5	65.77	0.53	36
17660	13A1675	66	66.27	0.53	36
17665	13A1690	66.5	66.77	0.53	36
17670	13A1700	67	67.27	0.53	36
17675	13A1715	67.5	67.77	0.53	36
17680	13A1725	68	68.27	0.53	36
17690	13A1755	69	69.27	0.53	36
17700	13A1780	70	70.27	0.53	36
17710	13A1805	71	71.27	0.53	36
17715	13A1815	71.5	71.77	0.53	36
17725	13A1840	72.5	72.76	0.53	36

# V-BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Angle of Belt
17730	13A1855	73	73.27	0.53	36
17740	13A1880	74	74.26	0.53	36
17745	13A1890	74.5	74.77	0.53	36
17750	13A1905	75	75.26	0.53	36
17755	13A1920	75.5	75.76	0.53	36
17770	13A1955	77	77.26	0.53	36
17815	13A2070	81.5	81.77	0.53	36
22300	15A0760	30	30.64	0.69	38
22320	15A0815	32	32.64	0.69	38
22335	15A0850	33.5	34.14	0.69	38
22340	15A0865	34	34.64	0.69	38
22345	15A0875	34.5	35.14	0.69	38
22350	15A0890	35	35.64	0.69	38
22355	15A0900	35.5	36.14	0.69	38
22360	15A0915	36	36.64	0.69	38
22365	15A0925	36.5	37.14	0.69	38
22373	15A0945	37.25	37.89	0.69	38
22380	15A0965	38	38.64	0.69	38
22385	15A0980	38.5	39.14	0.69	38
22395	15A1005	39.5	40.14	0.69	38
22400	15A1015	40	40.64	0.69	38
22405	15A1030	40.5	41.14	0.69	38
22410	15A1040	41	41.64	0.69	38
22415	15A1055	41.5	42.14	0.69	38
22420	15A1065	42	42.64	0.69	38
22425	15A1080	42.5	43.14	0.69	38
22435	15A1105	43.5	44.14	0.69	38
22445	15A1130	44.5	45.14	0.69	38
22450	15A1145	45	45.64	0.69	38
22458	15A1160	45.75	46.39	0.69	38
22463	15A1175	46.25	46.89	0.69	38
22470	15A1195	47	47.64	0.69	38
22475	15A1205	47.5	48.14	0.69	38
22490	15A1245	49	49.64	0.69	38
22495	15A1255	49.5	50.14	0.69	38
22500	15A1270	50	50.64	0.69	38
22505	15A1285	50.5	51.14	0.69	38

# V-BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Angle of Belt
22515	15A1310	51.5	52.14	0.69	38
22520	15A1320	52	52.64	0.69	38
22528	15A1340	52.75	53.39	0.69	38
22535	15A1360	53.5	54.14	0.69	38
22540	15A1370	54	54.64	0.69	38
22545	15A1385	54.5	55.14	0.69	38
22555	15A1410	55.5	56.14	0.69	38
22570	15A1450	57	57.64	0.69	38
22583	15A1480	58.25	58.89	0.69	38
22590	15A1500	59	59.64	0.69	38
22605	15A1535	60.5	61.14	0.69	38
22610	15A1550	61	61.64	0.69	38
22620	15A1575	62	62.64	0.69	38
22625	15A1585	62.5	63.14	0.69	38
22645	15A1640	64.5	65.14	0.69	38
22655	15A1665	65.5	66.14	0.69	38
22665	15A1690	66.5	67.14	0.69	38
22675	15A1715	67.5	68.14	0.69	38
22685	15A1740	68.5	69.14	0.69	38
22720	15A1830	72	72.64	0.69	38
22755	15A1920	75.5	76.14	0.69	38
22765	15A1945	76.5	77.14	0.69	38
22770	15A1955	77	77.64	0.69	38
22775	15A1970	77.5	78.14	0.69	38
23415	16A1055	41.5	42	0.69	32
23425	16A1080	42.5	43	0.69	32
23455	16A1155	45.5	46	0.69	32
23530	16A1345	53	53.5	0.69	32
23550	16A1395	55	55.5	0.69	32
23555	16A1410	55.5	56	0.69	32
23630	16A1600	63	63.5	0.69	32
23650	16A1650	65	65.5	0.69	32
24308	17A0780	30.75	31.39	0.75	38
24315	17A0800	31.5	32.14	0.75	38
24328	17A0830	32.75	33.39	0.75	38
24340	17A0865	34	34.64	0.75	38
24348	17A0885	34.75	35.39	0.75	38
24360	17A0915	36	36.64	0.75	38
24365	17A0925	36.5	37.14	0.75	38

# V-BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Angle of Belt
24380	17A0965	38	38.64	0.75	38
24390	17A0990	39	39.64	0.75	38
24398	17A1010	39.75	40.39	0.75	38
24400	17A1015	40	40.64	0.75	38
24405	17A1030	40.5	41.14	0.75	38
24408	17A1035	40.75	41.39	0.75	38
24415	17A1055	41.5	42.14	0.75	38
24420	17A1065	42	42.64	0.75	38
24435	17A1105	43.5	44.14	0.75	38
24438	17A1110	43.75	44.39	0.75	38
24440	17A1120	44	44.64	0.75	38
24450	17A1145	45	45.64	0.75	38
24458	17A1160	45.75	46.39	0.75	38
24465	17A1180	46.5	47.14	0.75	38
24480	17A1220	48	48.64	0.75	38
24490	17A1245	49	49.64	0.75	38
24505	17A1285	50.5	51.14	0.75	38
24540	17A1370	54	54.64	0.75	38
24565	17A1435	56.5	57.14	0.75	38
24620	17A1575	62	62.64	0.75	38
24640	17A1625	64	64.64	0.75	38
24650	17A1650	65	65.64	0.75	38
24655	17A1665	65.5	66.14	0.75	38
24665	17A1690	66.5	67.14	0.75	38
24695	17A1765	69.5	70.14	0.75	38
24705	17A1790	70.5	71.14	0.75	38
25405	18A1030	40.5	41.3	0.75	32
28345	20A0875	34.5	35.14	0.88	38
28380	20A0965	38	38.64	0.88	38
28390	20A0990	39	39.64	0.88	38
28403	20A1020	40.25	40.89	0.88	38
28415	20A1055	41.5	42.14	0.88	38
28423	20A1075	42.25	42.89	0.88	38
28430	20A1090	43	43.64	0.88	38
28445	20A1130	44.5	45.14	0.88	38
28455	20A1155	45.5	46.14	0.88	38
28465	20A1180	46.5	47.14	0.88	38

# V-BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Angle of Belt
28473	20A1200	47.25	47.89	0.88	38
28480	20A1220	48	48.64	0.88	38
28485	20A1230	48.5	49.14	0.88	38
28490	20A1245	49	49.64	0.88	38
28495	20A1255	49.5	50.14	0.88	38
28503	20A1275	50.25	50.89	0.88	38
28510	20A1295	51	51.64	0.88	38
28515	20A1310	51.5	52.14	0.88	38
28525	20A1335	52.5	53.14	0.88	38
28530	20A1345	53	53.64	0.88	38
28535	20A1360	53.5	54.14	0.88	38
28550	20A1395	55	55.64	0.88	38
28565	20A1435	56.5	57.14	0.88	38
28570	20A1450	57	57.64	0.88	38
28580	20A1475	58	58.64	0.88	38
28590	20A1500	59	59.64	0.88	38
28600	20A1525	60	60.64	0.88	38
28615	20A1560	61.5	62.14	0.88	38
28740	20A1880	74	74.64	0.88	38
28880	20A2235	88	88.64	0.88	38
2B17305		30.5	31.57	1.13	40
2B17315		31.5	32.57	1.13	40
2B17450		45	46.07	1.13	40
2B17490		49	50.07	1.13	40
2B17500		50	51.07	1.13	40
2B17510		51	52.07	1.13	40
2B17520		52	53.07	1.13	40
2B17545		54.5	55.57	1.13	40
2B17550		55	56.07	1.13	40
2B17590		59	60.07	1.13	40
2B17640		64	65.07	1.13	40
2B17650		65	66.07	1.13	40
2B17660		66	67.07	1.13	40
2B17670		67	68.07	1.13	40
2B17700		70	71.07	1.13	40
2B17720		72	73.07	1.13	40
2B17730		73	74.07	1.13	40
30445	22A1130	44.5	45.09	0.94	40
30485	22A1230	48.5	49.09	0.94	40

# V-BELTS

Dayco Part Number	Metric Part Number	Effective Length (in.)	Outside Circumference (in.)	Top Width (in.)	Angle of Belt
30500	22A1270	50	50.59	0.94	40
30520	22A1320	52	52.59	0.94	40
30655	22A1665	65.5	66.09	0.94	40
30665	22A1690	66.5	67.09	0.94	40
30700	22A1780	70	70.59	0.94	40
30725	22A1840	72.5	73.09	0.94	40
30750	22A1905	75	75.59	0.94	40
30765	22A1945	76.5	77.09	0.94	40
30795	22A2020	79.5	80.09	0.94	40
30805	22A2045	80.5	81.09	0.94	40
30845	22A2145	84.5	85.09	0.94	40
32470	23A1195	47	47.59	1	40
34460	23A1170	46	47.13	1.06	40
34500	23A1270	50	51.13	1.06	40
42605	30A1535	60.5	61.09	1.3	40
42695	30A1765	69.5	70.09	1.3	40

## TIMING BELTS

Dayco Part Number	Top Width (in.)	Pitch Length (in.)	Number of Teeth
95253	1.26	83.47	265
95254	1.19	66.46	211
95255	1.19	63.63	202
95257	1.26	66.46	211
95258	0.99	49.14	131
95259	1.26	58.90	187
95262	0.71	46.50	124
95263	0.95	72.01	192
95264	0.99	40.52	108
95265	1.11	54.77	146
95266	0.87	39.38	125
95267	1.19	63.31	201
95269	0.91	54.02	144
95270	1.11	57.01	152
95271	1.42	60.16	191
95272	0.99	33.39	89
95273	1.34	63.00	200
95276	0.87	49.14	131
95277	1.19	88.51	281
95278	0.99	41.62	111
95279	0.95	73.86	197
95280	0.60	21.74	69
95281	0.99	52.92	168
95282	0.87	39.38	105
95283	0.99	37.13	99
95284	0.99	42.37	113
95285	1.17	70.87	225
95286	1.03	62.05	197
95287	1.26	61.42	195
95288	1.15	36.54	116
95289	0.99	33.71	107
95291	0.99	47.88	152
95292	0.99	46.30	147
95293	0.71	41.26	110
95294	0.99	48.39	129
95295	1.19	63.31	201
95296	0.91	43.47	138
95297	1.19	79.69	253
95298	1.34	66.46	211

## TIMING BELTS

Dayco Part Number	Top Width (in.)	Pitch Length (in.)	Number of Teeth
95299	0.75	44.61	119
95300	0.75	36.74	98
95301	1.00	52.88	141
95302	0.87	48.51	154
95303	1.26	60.16	191
95304	1.07	70.24	223
95305	0.95	53.86	171
95306	0.91	47.25	150
95307	1.07	70.24	223
95308	0.87	38.75	123
95309	0.95	53.23	169
95310	0.99	47.64	127
95311	0.91	53.27	142
95312	0.87	39.02	104
95313	1.15	55.12	175
95314	0.50	20.48	65
95315	1.26	65.20	207
95316	0.99	41.89	133
95317	0.99	48.19	153
95318	0.87	43.15	137
95319	1.11	54.77	146
95320	1.26	63.31	201
95321	0.99	52.88	141
95322	1.26	79.06	251
95323	1.26	81.58	259
95324	0.87	34.65	110
95326	0.87	21.74	58
95327	1.11	65.99	176
95328	1.19	88.51	281
95329	0.79	62.05	197
95330	1.19	88.51	281
95332	0.79	45.75	122
95333	1.19	45.00	120
95334	0.91	46.62	148
95335	0.99	47.64	127
95336	1.11	69.30	220
95337	1.26	68.98	219

# TIMING BELTS

Dayco Part Number	Top Width (in.)	Pitch Length (in.)	Number of Teeth
95338	0.95	45.99	146
95339	0.79	56.38	179
95340	0.79	45.75	122
95341	0.52	20.48	65
95342	1.19	60.00	160
95343	0.87	43.88	117
95345	0.87	39.16	124
95346	0.99	60.00	160
95348	0.48	10.63	54
95351	0.40	18.78	53
95352	0.48	23.75	67
95353	0.40	17.13	87
95354	0.72	43.51	116
95355	0.99	54.38	145
95356	0.79	44.93	163



MOVE FORWARD. ALWAYS.™