



SAKURA

TAKEUCHI FILTER SUB-CATALOGUE





Table of Contents

Engine Application	A
Technical Specification	B



Engine Application

A

Sakura Filter

ENGINE APPLICATION

MODEL/APPLICATION	SAKURA NO	MODEL/APPLICATION	SAKURA NO	MODEL/APPLICATION	SAKURA NO
TAKEUCHI		TAKEUCHI		TAKEUCHI	
TB007 <i>(EXCAVATORS)</i> YANMAR , 1995-UP		Fuel Filter..... F-5210		Air Filter Primary..... A-76231	
Air Filter..... AS-5412		Fuel Filter..... F-5214		Air Filter Secondary..... A-5540	
Fuel Filter..... F-5207		Hydraulic Oil Filter..... HC-5807		Air Filter Set..... A-5541M-S	
Fuel Filter..... F-5214		TB028FR <i>(EXCAVATORS)</i> YANMAR 3TNE82 , 2001-UP		TB1140 <i>(EXCAVATORS)</i> ISUZU 8B-4BG1TRE	
Hydraulic Oil Filter..... H-2714		Oil Filter Full Flow..... C-1720		Hydraulic Oil Filter..... H-56091	
Oil Filter Full Flow..... C-5205		TB030 <i>(EXCAVATORS)</i>		TB125 <i>(EXCAVATORS)</i> YANMAR , 1999-UP	
TB015 <i>(EXCAVATORS)</i> YANMAR , 1986-1999		Air Filter Primary..... AS-2205		Air Filter Primary..... A-8513	
Air Filter..... AS-5412		Fuel Filter..... F-5210		Air Filter Secondary..... A-5569	
Air Filter Primary..... A-8504		Hydraulic Oil Filter..... HC-5807		Fuel Filter..... F-5207	
Fuel Filter..... F-5207		TB035 <i>(EXCAVATORS)</i> YANMAR , 1990-2001		Fuel Filter..... FC-1302	
Fuel Filter..... F-5214		Air Filter Primary..... AS-2205		Oil Filter Full Flow..... C-1720	
Hydraulic Oil Filter..... H-2714		Fuel Filter..... F-5210		TB125 <i>(EXCAVATORS)</i> YANMAR 3TNE82A	
Oil Filter Full Flow..... C-5205		Fuel Filter..... F-5214		Hydraulic Oil Filter..... H-5202	
TB014 <i>(EXCAVATORS)</i> YANMAR 3TNE68-NTB , 1998-UP		Hydraulic Oil Filter..... HC-5807		TB135 <i>(EXCAVATORS)</i> YANMAR , 1998-UP	
Air Filter Primary..... A-8504		TB045 <i>(EXCAVATORS)</i> YANMAR , 1990-UP		Air Filter Primary..... A-8513	
Air Filter Secondary..... A-7618		Air Filter Primary..... AS-1014		Air Filter Secondary..... A-5569	
Fuel Filter..... F-5207		Fuel Filter..... FC-1016		Fuel Filter..... F-5210	
Fuel Filter..... F-5214		Oil Filter Full Flow..... C-1005		Fuel Filter..... F-5214	
Hydraulic Oil Filter..... H-2714		Oil Filter Full Flow..... C-5204		Fuel Filter..... FC-1302	
Oil Filter Full Flow..... C-5205		TB070 <i>(EXCAVATORS)</i> NISSAN		Oil Filter Full Flow..... C-8012	
TB014 <i>(EXCAVATORS)</i> YANMAR 3TNE70-STB , 1998-UP		Air Filter Primary..... AS-1014		TB135 <i>(EXCAVATORS)</i> YANMAR 3TNE88	
Air Filter Primary..... A-8504		Fuel Filter..... FC-5604		Hydraulic Oil Filter..... H-5202	
Air Filter Secondary..... A-7618		Oil Filter Full Flow..... C-1803		TB14 <i>(EXCAVATORS)</i> YANMAR	
Fuel Filter..... F-5207		TB070 <i>(EXCAVATORS)</i> W/NISSAN BD3004 ENG		Air Filter..... AS-5412	
Fuel Filter..... F-5214		Hydraulic Oil Filter..... H-5519		Fuel Filter..... F-5202	
Hydraulic Oil Filter..... H-2714		TB070W <i>(EXCAVATORS)</i> W/NISSAN BD3004 ENG		Oil Filter Full Flow..... C-1621	
Oil Filter Full Flow..... C-5205		Hydraulic Oil Filter..... H-5519		TB145 <i>(EXCAVATORS)</i> YANMAR , 1998-UP	
TB016 <i>(EXCAVATORS)</i> YANMAR 3TNE68-NTB , 1998-UP		Air Filter Primary..... AS-1014		Air Filter Primary..... A-8513	
Air Filter Primary..... A-8504		Fuel Filter..... FC-5604		Air Filter Secondary..... A-5569	
Air Filter Secondary..... A-7618		Oil Filter Full Flow..... C-1803		Fuel Filter..... F-5210	
Fuel Filter..... F-5207		TB108 <i>(EXCAVATORS)</i> YANMAR 2TNE68-ETBA		Fuel Filter..... F-5214	
Fuel Filter..... F-5214		Air Filter Primary..... A-8504		Fuel Filter..... FC-1302	
Hydraulic Oil Filter..... H-2714		Air Filter Secondary..... A-7618		Oil Filter Full Flow..... C-1720	
Oil Filter Full Flow..... C-5205		Fuel Filter..... F-5207		TB15 <i>(EXCAVATORS)</i> YANMAR	
TB016 <i>(EXCAVATORS)</i> YANMAR 3TNE70-STB , 1998-UP		Fuel Filter..... F-5214		Air Filter..... AS-5412	
Air Filter Primary..... A-8504		Hydraulic Oil Filter..... H-2714		Fuel Filter..... F-5207	
Air Filter Secondary..... A-7618		TB108 <i>(EXCAVATORS)</i> YANMAR 2TNE70		Fuel Filter..... F-5214	
Fuel Filter..... F-5207		Air Filter Primary..... A-8504		Hydraulic Oil Filter..... H-2714	
Fuel Filter..... F-5214		Air Filter Secondary..... A-7618		Hydraulic Oil Filter..... HC-5807	
Hydraulic Oil Filter..... H-2714		Fuel Filter..... F-5207		TB175 <i>(EXCAVATORS)</i> YANMAR 4TNE98 , 2000-UP	
Oil Filter Full Flow..... C-5205		Fuel Filter..... F-5214		Air Filter Primary..... A-8505	
TB020 <i>(EXCAVATORS)</i> YANMAR , 1991-UP		Hydraulic Oil Filter..... H-2714		Air Filter Secondary..... A-8599	
Air Filter..... AS-5412		TB1140 <i>(EXCAVATORS)</i> ISUZU		Fuel Filter..... FC-1016	
Fuel Filter..... F-5207		Air Filter Primary..... A-5541		Fuel Filter..... FC-1302	
Fuel Filter..... F-7909		Air Filter Primary..... A-5541M		Oil Filter Full Flow..... C-1720	
Hydraulic Oil Filter..... HC-5807		TB175 <i>(EXCAVATORS)</i> YANMAR 4TNE98		TB175 <i>(EXCAVATORS)</i> YANMAR 4TNE98	
Oil Filter Full Flow..... C-5204		Fuel Filter..... F-5219		Fuel Filter..... F-5219	
TB025 <i>(EXCAVATORS)</i> YANMAR , 1986-1999					
Air Filter Primary..... AS-2205					

Sakura Filter

ENGINE APPLICATION

MODEL/APPLICATION	SAKURA NO	MODEL/APPLICATION	SAKURA NO	MODEL/APPLICATION	SAKURA NO
TAKEUCHI		TAKEUCHI		TAKEUCHI	
TB175 (EXCAVATORS) YANMAR 4TNE98		Air Filter Primary..... A-8513		Air Filter Secondary..... A-5569	
TB175 (EXCAVATORS) YANMAR 4TNE98-ZQTB		Air Filter Secondary..... A-5569		Fuel Filter..... F-5210	
Oil Filter Full Flow..... C-1720		Fuel Filter..... F-5207		Fuel Filter..... F-5214	
TB175W (EXCAVATORS) YANMAR		Fuel Filter..... F-5210		Fuel Filter..... FC-1302	
Oil Filter Full Flow..... C-1720		Oil Filter Full Flow..... C-1720		Oil Filter Full Flow..... C-1720	
TB180FR (EXCAVATORS) YANMAR 4TNE98-STB1		Oil Filter Full Flow..... C-8012		TB650 (EXCAVATORS) YANMAR	
Air Filter Primary..... A-8505		TB28FR (EXCAVATORS) YANMAR 3TNE82A		Air Filter..... AS-5412	
Air Filter Secondary..... A-8599		Hydraulic Oil Filter..... H-5202		Fuel Filter..... F-5202	
Fuel Filter..... FC-1302		Hydraulic Oil Filter..... H-7986		Oil Filter Full Flow..... C-1011	
Oil Filter Full Flow..... C-1720		Hydraulic Oil Filter..... H-79861		TB68 (EXCAVATORS) NISSAN	
TB180FR (EXCAVATORS) YANMAR 4TNE98-ZQTBZ		TB230 (EXCAVATORS) YANMAR 3TNE88F		Air Filter Primary..... AS-1014	
Oil Filter Full Flow..... C-1720		Hydraulic Oil Filter..... H-7986		Fuel Filter..... F-1501	
TB20R (EXCAVATORS) YANMAR 3TNE76-XTB		Hydraulic Oil Filter..... H-79861		Fuel Filter..... FC-5604	
Air Filter Primary..... A-8504		TB2150 (EXCAVATORS) DEUTZ TCD3.6L4 , 3600, 2016		Oil Filter Full Flow..... C-1807	
Air Filter Secondary..... A-7618		Fuel Filter..... FC-52100		TB80FR (EXCAVATORS) YANMAR , 1999-UP	
Fuel Filter..... F-5207		TB240 (EXCAVATORS) YANMAR 4TN88C		Air Filter Primary..... A-8505	
Fuel Filter..... F-5214		Hydraulic Oil Filter..... H-7986		Air Filter Secondary..... A-8599	
Hydraulic Oil Filter..... H-2714		Hydraulic Oil Filter..... H-79861		Fuel Filter..... F-5214	
TB22 (EXCAVATORS)		TB260 (EXCAVATORS) S/N: 126000002		Fuel Filter..... FC-1016	
Air Filter..... AS-1824		Hydraulic Oil Filter..... H-52220		Fuel Filter..... FC-1302	
Fuel Filter..... F-5207		TB260 (EXCAVATORS) YANMAR 4TN84T-BPTB		Oil Filter Full Flow..... C-1720	
TB228 (EXCAVATORS) YANMAR		Hydraulic Oil Filter..... H-7986		TL126 (EXCAVATORS)	
Air Filter Primary..... A-8513		Hydraulic Oil Filter..... H-79861		Air Filter Primary..... AS-1014	
Hydraulic Oil Filter..... H-2712		TB235 (EXCAVATORS) YANMAR 3TNE88		Fuel Filter..... FC-1501	
Oil Filter Full Flow..... C-1720		Hydraulic Oil Filter..... H-52050		Oil Filter Full Flow..... C-1511	
Hydraulic Oil Filter..... H-52050		TB250 (EXCAVATORS) YANMAR 4TNE88		Oil Filter Full Flow..... C-1538	
TB228 (EXCAVATORS) YANMAR 3TNE82		Hydraulic Oil Filter..... H-52050		TL130 (EXCAVATORS) YANMAR	
Hydraulic Oil Filter..... H-52050		TB225 (EXCAVATORS) YANMAR 3TNE82A		Air Filter Primary..... A-8506	
TB23R (EXCAVATORS) YANMAR 3TNE76-XTB		Hydraulic Oil Filter..... H-52270		Air Filter Secondary..... A-7004	
Air Filter Primary..... A-8504		TB36 (EXCAVATORS) 1986-1991		Air Filter Set..... A-8506-S	
Air Filter Secondary..... A-7618		Air Filter Primary..... AS-2205		Fuel Filter..... FC-1302	
Fuel Filter..... F-5207		Fuel Filter..... F-5207		Oil Filter Full Flow..... C-1720	
Fuel Filter..... F-5214		TB36 (EXCAVATORS) YANMAR		TL140 (EXCAVATORS) YANMAR	
Hydraulic Oil Filter..... H-2714		Hydraulic Oil Filter..... H-5202		Air Filter Primary..... A-5541	
TB25 (EXCAVATORS) YANMAR		TB35 (EXCAVATORS) YANMAR , 1990-2001		Air Filter Primary..... A-5541M	
Air Filter..... AS-5412		Air Filter Primary..... AS-2205		Air Filter Primary..... A-76231	
Air Filter Primary..... AS-2205		Fuel Filter..... F-5207		Air Filter Secondary..... A-5540	
Fuel Filter..... F-5207		TB45 (EXCAVATORS) YANMAR , 1990-UP		Air Filter Set..... A-5541M-S	
TB25FR (EXCAVATORS) 1999-2001		Air Filter Primary..... AS-1014		Oil Filter Full Flow..... C-1511	
Air Filter Primary..... A-8513		Air Filter Primary..... AS-2205		Oil Filter Full Flow..... C-1538	
Fuel Filter..... F-5207		Fuel Filter..... FC-1501		TL150 (EXCAVATORS)	
Oil Filter Full Flow..... C-8012		TB53FR (EXCAVATORS) YANMAR , 2000-UP		Air Filter Primary..... A-5541	
TB28FR (EXCAVATORS) YANMAR 3TNE82A , 2001-UP		Air Filter Primary..... A-8513		Air Filter Primary..... A-5541M	
				Air Filter Primary..... A-76231	
				Air Filter Set..... A-5541M-S	
				Fuel Filter..... F-5214	
				Fuel Filter..... FC-1016	
				Oil Filter Full Flow..... C-5204	
				TL220 (EXCAVATORS) YANMAR	
				Oil Filter Full Flow..... C-1720	

MODEL/APPLICATION	SAKURA NO
TAKEUCHI	

TL230
(EXCAVATORS)
YANMAR

Oil Filter Full Flow..... C-1720

TL240
(EXCAVATORS)
YANMAR

Oil Filter Full Flow..... C-1720

TL250
(EXCAVATORS)

Fuel Filter..... FC-1804

Oil Filter Full Flow..... C-7921



Technical Specification

B

Sakura Filter

Technical Specification

A-5540	Air Filter Secondary Soft PU end cap Element YANMAR 119117-12570 CATERPILLAR 1318903 PERKINS 26510343 YANMAR Y119117-12570 Primary Filter uses A-5541 Set Filter uses A-5541-S H 1 : 346 (mm) H 2 : 340 (mm) OD 1 : 92 (mm) OD 2 : 86.5 (mm) ID 1 : 72.5 (mm) CONT : 25 VOL : 0.105	A-7004	Air Filter Secondary Soft PU end cap Element FIAT 1930588 PERKINS 26510338 Primary Filter uses A-7003 Set Filter uses A-7003-S H 1 : 319 (mm) H 2 : 312 (mm) OD 1 : 84 (mm) OD 2 : 79 (mm) ID 1 : 63 (mm) CONT : 25 VOL : 0.082	A-8506	Air Filter Primary Soft PU end cap Element CASE 222425A1 ISUZU 8-97231900-0 JOHN DEERE KV16428 Secondary Filter uses A-8565 H 1 : 330.8 (mm) H 2 : 322 (mm) OD 1 : 138 (mm) OD 2 : 138 (mm) ID 1 : 81 (mm) CONT : 12 VOL : 0.099
A-5541	Air Filter Primary Soft PU end cap Element YANMAR 119117-12560 CATERPILLAR 131-8902 PERKINS 26510342 HITACHI 4486002 Secondary Filter uses A-5540 Set Filter uses A-5541-S H 1 : 356 (mm) H 2 : 347 (mm) OD 1 : 163.5 (mm) OD 2 : 163.5 (mm) ID 1 : 91 (mm) CONT : 9 VOL : 0.108	A-7618	Air Filter Secondary Soft PU end cap Element YANMAR 119233-12700 MITSUBISHI 32143-11400 JOHN DEERE M123378 Primary Filter uses A-8504 Set Filter uses A-7620-S H 1 : 173 (mm) H 2 : 168 (mm) OD 1 : 44 (mm) OD 2 : 43 (mm) ID 1 : 32 (mm) CONT : 50 VOL : 0.027	A-8506-S	Air Filter Set Soft PU end cap Element CASE 222425A1+222429A1 JOHN DEERE KV16428+AP33331 Primary Filter uses A-8506 Secondary Filter uses A-8565 H 1 : 330.8 (mm) H 2 : 322 (mm) OD 1 : 138 (mm) OD 2 : 138 (mm) ID 1 : 81 (mm) CONT : 12 VOL : 0.099
A-5541M	Air Filter Primary Soft PU+Metal Element CATERPILLAR 131-8902 Secondary Filter uses A-5540 Set Filter uses A-5541M-S H 1 : 356 (mm) H 2 : 347 (mm) OD 1 : 163.5 (mm) OD 2 : 163.5 (mm) ID 1 : 91 (mm) CONT : 9 VOL : 0.108	A-76231	Air Filter Primary Soft PU end cap Element flame retardant media CLARK 1241080 TOYOTA 17741-U3330-71 KOMATSU 3EC02A541E H 1 : 356 (mm) H 2 : 347 (mm) OD 1 : 163.5 (mm) OD 2 : 163.5 (mm) ID 1 : 91 (mm) CONT : 9 VOL : 0.116	A-8513	Air Filter Primary Soft PU end cap Element YANMAR 119808-12520 NISSAN 16546-FJ100 KOMATSU 3EB-02-38730 SUNWARD 730403000157 Secondary Filter uses A-5569 Set Filter uses A-5570-S H 1 : 273.5 (mm) H 2 : 265 (mm) OD 1 : 104 (mm) OD 2 : 104 (mm) ID 1 : 61 (mm) CONT : 25 VOL : 0.110
A-5541M-S	Air Filter Set Soft PU+Metal Element CATERPILLAR 131-8902+131-8903 Primary Filter uses A-5541M Secondary Filter uses A-5540 H 1 : 353 (mm) H 2 : 344 (mm) OD 1 : 163.5 (mm) OD 2 : 163.5 (mm) ID 1 : 91 (mm) CONT : 9 VOL : 0.116	A-8504	Air Filter Primary Soft PU end cap Element YANMAR 119655-12560 KOMATSU 11965512560 KUBOTA 1G659-11220 Secondary Filter uses A-7618 Set Filter uses A-7620-S H 1 : 187 (mm) H 2 : 179 (mm) OD 1 : 88.5 (mm) OD 2 : 88.5 (mm) ID 1 : 46 (mm) CONT : 25 VOL : 0.055	A-8599	Air Filter Secondary Soft PU end cap Element KUBOTA 119005-12571 CASE 133721A1 HITACHI 4326841 Primary Filter uses A-8505 Set Filter uses A-8602-S H 1 : 303.5 (mm) H 2 : 298 (mm) OD 1 : 83 (mm) OD 2 : 79 (mm) ID 1 : 64 (mm) CONT : 25 VOL : 0.076
A-5569	Air Filter Secondary Soft PU end cap Element VOLVO 11801160 CATERPILLAR 1467473 JOHN DEERE M131803 KOMATSU YM12905112530 Primary Filter uses A-8513 Set Filter uses A-5570-S H 1 : 265 (mm) H 2 : 259 (mm) OD 1 : 61 (mm) OD 2 : 59 (mm) ID 1 : 45 (mm) CONT : 25 VOL : 0.048	A-8505	Air Filter Primary Soft PU end cap Element OPEL 1#123 84 075 OPEL 1-12384075 SUNWARD 730403000155 Secondary Filter uses A-8599 Set Filter uses A-8602-S H 1 : 312 (mm) H 2 : 304 (mm) OD 1 : 127.5 (mm) OD 2 : 127.5 (mm) ID 1 : 83 (mm) CONT : 16 VOL : 0.109	AS-1014	Air Filter Primary Metal End Cap Element With Sleeve ISUZU 1-14215135-0 TOYOTA 1001905 YANMAR 171064-12540 Secondary Filter uses A-7919 Set Filter uses AS-1014-S H 1 : 288 (mm) H 2 : 279 (mm) OD 1 : 160 (mm) OD 2 : 134 (mm) ID 1 : 66.5 (mm) ID 2 : 17 (mm) CONT : 9 VOL : 0.090
			Note : Flame Retardant version of A-5541		Note : A-85134(with Flame Retardant Media)
					Note : Is a Secondary Air filter for A-5669,A-8505

Sakura Filter

Technical Specification

AS-1824	Air Filter Metal End Cap Element With Sleeve YANMAR 129350-12900 ISEKI 1480-104-2070-0 NISSAN 16546-00H10  H 1 : 200 (mm) H 2 : 190 (mm) OD 1 : 131.5 (mm) OD 2 : 104 (mm) ID 1 : 63 (mm) ID 2 : 17 (mm) CONT : 16 VOL : 0.079	C-1511	Oil Filter Full Flow Spin-On ISUZU 8-94217272-0 ISUZU 8-94360426-0 ISUZU 8-94430983-0  H 1 : 100 (mm) OD 1 : 90 (mm) Thread Size : M20X1.5-6H BPV (kg/cm2) : 1.0 ADBV : YES Gasket Type : Round CONT : 25 VOL : 0.029	C-1807	Oil Filter Full Flow Spin-On NISSAN 15209-76200 NISSAN 15209-76201 NISSAN 15209-C8600  H 1 : 174 (mm) OD 1 : 93 (mm) Thread Size : 1-12 UNF-2B ADBV : YES Gasket Type : Round CONT : 12 VOL : 0.023
AS-2205	Air Filter Primary Metal End Cap Element With Sleeve ISUZU 1-14215014-0 YANMAR 121120-12901 KUBOTA 121420-12511  Secondary Filter uses A-8568 Set Filter uses AS-2206-S H 1 : 264 (mm) H 2 : 254 (mm) OD 1 : 132 (mm) OD 2 : 104 (mm) ID 1 : 63 (mm) ID 2 : 17 (mm) CONT : 12 VOL : 0.073	C-1538	Oil Filter Full Flow Spin-On HOLDEN 8-9421-7272-2  H 1 : 95 (mm) OD 1 : 93 (mm) Thread Size : M20X1.5-6H BPV (kg/cm2) : 1.0 ADBV : YES Gasket Type : Square CONT : 25 VOL : 0.037	C-5204	Oil Filter Full Flow Spin-On YANMAR 119005-35100 YANMAR 16271-32091 YANMAR Y119005-35100  H 1 : 100 (mm) OD 1 : 80 (mm) Thread Size : M20X1.5-6H BPV (kg/cm2) : 1.0 ADBV : YES Gasket Type : Round CONT : 50 VOL : 0.045
AS-5412	Air Filter Metal End Cap Element With Sleeve YANMAR 124066-12510 ISEKI 1427-101-2840-0 KUBOTA 15221-11223  H 1 : 184.4 (mm) H 2 : 178 (mm) OD 1 : 109.4 (mm) OD 2 : 83 (mm) ID 1 : 45 (mm) ID 2 : 15.3 (mm) CONT : 25 VOL : 0.079	C-1621	Oil Filter Full Flow Spin-On KUBOTA 70000-15241  H 1 : 80 (mm) OD 1 : 80 (mm) Thread Size : M20X1.5-6H BPV (kg/cm2) : 1.0 ADBV : YES Gasket Type : Round CONT : 12 VOL : 0.009	C-5205	Oil Filter Full Flow Spin-On YANMAR 119305-35151  H 1 : 65 (mm) OD 1 : 65 (mm) Thread Size : M20X1.5-6H BPV (kg/cm2) : 1.0 ADBV : YES Gasket Type : Round CONT : 50 VOL : 0.021
C-1005	Oil Filter Full Flow Spin-On MITSUBISHI K466201 MITSUBISHI MD 013661  H 1 : 125 (mm) OD 1 : 90 (mm) Thread Size : M20X1.5-6H BPV (kg/cm2) : 1.0 ADBV : YES Gasket Type : Round CONT : 25 VOL : 0.035	C-1720	Oil Filter Full Flow Spin-On TCM 12163-82302 YANMAR 129150-35152  H 1 : 100 (mm) OD 1 : 90 (mm) Thread Size : M20X1.5-6H BPV (kg/cm2) : 1.0 ADBV : YES Gasket Type : Round CONT : 36 VOL : 0.040	C-7921	Oil Filter Full Flow Spin-On PERKINS 140 516 130 SAAB-SCANIA 173171 KUBOTA 1C010-32430  H 1 : 92 (mm) OD 1 : 93 (mm) Thread Size : 3/4-16 UNF-2B BPV (kg/cm2) : 1.0 ADBV : YES Gasket Type : Square CONT : 12 VOL : 0.016
C-1011	Oil Filter Full Flow Spin-On NISSAN 15208-HC400 HINO 15607-1920 MAZDA JEYO-14-302  H 1 : 85 (mm) OD 1 : 68 (mm) Thread Size : M20X1.5-6H BPV (kg/cm2) : 1.0 ADBV : YES Gasket Type : Round CONT : 50 VOL : 0.026	C-1803	Oil Filter Full Flow Spin-On NISSAN 15208-65010 NISSAN 15208-65011 NISSAN 15208-65014  H 1 : 129 (mm) OD 1 : 93 (mm) Thread Size : 3/4-16 UNF-2B BPV (kg/cm2) : 1.0 ADBV : YES Gasket Type : Round CONT : 50 VOL : 0.073	C-8012	Oil Filter Full Flow Spin-On MAHINDRA 14501673990 HITACHI 26300-21010 HYUNDAI 26300-21010 CHRYSLER 4186267 MITSUBISHI 4253037  H 1 : 78 (mm) OD 1 : 86 (mm) Thread Size : M20X1.5-6H BPV (kg/cm2) : 1.0 ADBV : YES Gasket Type : Square CONT : 50 VOL : 0.046
Note : Square version uses C-1030		Note : Square Version Uses C-1834		For Reference - Representative Picture and Color Only	

Sakura Filter

Technical Specification

F-1501	Fuel Filter Metal End Cap Element NISSAN 16403-37000 NISSAN 16403-37225 ISUZU 5-87810005-0	F-5219	Fuel Filter Metal End Cap Element YANMAR 129535-52150 HITACHI 4451022  H 1 : 35.6 (mm) H 2 : 33 (mm) OD 1 : 41 (mm) OD 2 : 41 (mm) ID 1 : 24.5 (mm) ID 2 : 24.5 (mm) CONT : 100 VOL : 0.014	FC-1501	Fuel Filter Spin-On NISSAN 16403-89TA1 NISSAN 16403-J5500 HITACHI 4285643  H 1 : 87 (mm) OD 1 : 80 (mm) Thread Size : 3/4-16 UNF-2B Gasket Type : Round CONT : 50 VOL : 0.039
F-5202	Fuel Filter Metal End Cap Element YANMAR 104500-55710 HITACHI 4294842 ISUZU 5-87810269-0 JOHN DEERE CH15553 FORD SBA130366040  H 1 : 69 (mm) H 2 : 66.5 (mm) OD 1 : 35 (mm) OD 2 : 35 (mm) ID 1 : 11 (mm) CONT : 100 VOL : 0.015	F-7909	Fuel Filter Metal End Cap Element KUBOTA 15231-4356-0 KUBOTA 15231-4356-3 MITSUBISHI MM 404889  H 1 : 85 (mm) OD 1 : 29 (mm) OD 2 : 29 (mm) ID 1 : 13 (mm) ID 2 : 13 (mm) CONT : 100 VOL : 0.011	FC-1804	Fuel Filter Spin-On High Efficiency NISSAN 16403-01T01 NISSAN 16403-Z9000 NISSAN 16403-Z9005  H 1 : 114.5 (mm) OD 1 : 80.2 (mm) Thread Size : 3/4-16 UNF-2B Gasket Type : Round CONT : 50 VOL : 0.050
F-5207	Fuel Filter Metal End Cap Element YANMAR 119810-55650 YANMAR 124550-55700 KUBOTA 16271-43560  H 1 : 87.5 (mm) H 2 : 85 (mm) OD 1 : 35 (mm) OD 2 : 35 (mm) ID 1 : 11.5 (mm) CONT : 50 VOL : 0.009	FC-1001	Fuel Filter Spin-On YANMAR 121857-55710 GENERAL MOTORS 13240032 MAZDA 1456-23-570A DAIHATSU 23303-87308 DAIHATSU 23303-87308-000  H 1 : 140 (mm) OD 1 : 95 (mm) Thread Size : M20X1.5-6H Thread Nut Size : M36X1.5-6H Gasket Type : Round CONT : 25 VOL : 0.042	FC-52100	Fuel Filter Spin-On TAKEUCHI 19039-00218  H 1 : 214 (mm) OD 1 : 93 (mm) Thread Size : M18X1.5-6H CONT : 12 VOL : 0.031
F-5210	Fuel Filter Metal End Cap Element YANMAR 129100-55650 KUBOTA 15521-43160 KUBOTA 607  H 1 : 89 (mm) OD 1 : 50 (mm) OD 2 : 50 (mm) ID 1 : 20 (mm) CONT : 50 VOL : 0.017	FC-1016	Fuel Filter Spin-On MITSUBISHI ME 006066  H 1 : 80 (mm) OD 1 : 90 (mm) Thread Size : M20X1.5-6H Gasket Type : Square CONT : 36 VOL : 0.032	FC-5604	Fuel Filter Spin-On KOMATSU 600-311-6220 KOMATSU 600-311-6221 KOMATSU 600-311-7410  H 1 : 87 (mm) OD 1 : 80 (mm) Thread Size : 3/4-16 UNF-2B Gasket Type : Round CONT : 50 VOL : 0.039
F-5214	Fuel Filter Metal End Cap Element YANMAR 171081-55910 CASE 282211A1 ISUZU 5-87810874-0  H 1 : 49.5 (mm) H 2 : 47 (mm) OD 1 : 35 (mm) OD 2 : 35 (mm) ID 1 : 11.5 (mm) CONT : 100 VOL : 0.010	FC-1302	Fuel Filter Spin-On TCM 20801-02112  H 1 : 75 (mm) OD 1 : 80 (mm) Thread Size : M20X1.5-6H Gasket Type : Round CONT : 50 VOL : 0.034	H-2712	Hydraulic Oil Filter Metal End Cap Element MANITOU 15512-00703 HITACHI 4294130  H 1 : 52 (mm) H 2 : 48.5 (mm) OD 1 : 42.5 (mm) OD 2 : 42.5 (mm) ID 1 : 21.5 (mm) CONT : 50 VOL : 0.007
Note : Paper Wire Mesh					

Sakura Filter

Technical Specification

H-2714  Hydraulic Oil Filter Wire Mesh supported Element HITACHI 4190987 H 1 : 128 (mm) H 2 : 89 (mm) OD 1 : 150 (mm) OD 2 : 150 (mm) ID 1 : 73.4 (mm) CONT : 9 VOL : 0.044	H-5519  Hydraulic Oil Filter Metal End Cap Element SUMITOMO KRJ 1599 H 1 : 291 (mm) OD 1 : 112 (mm) OD 2 : 112 (mm) ID 1 : 70 (mm) ID 2 : 70 (mm) CONT : 9 VOL : 0.049
H-5202  Hydraulic Oil Filter Element TAKEUCHI 15511-00700 YANMAR 15511-00700 TAKEUCHI 15511-03300 YANMAR 172112-74911 H 1 : 223 (mm) H 2 : 219 (mm) OD 1 : 112 (mm) OD 2 : 112 (mm) ID 1 : 70 (mm) ID 2 : 70 (mm) CONT : 10 VOL : 0.036	H-56091  Hydraulic Oil Filter Metal End Cap Element With Microfiber media TAKEUCHI 15511-03400 H 1 : 305 (mm) H 2 : 300 (mm) OD 1 : 150 (mm) OD 2 : 150 (mm) ID 1 : 110 (mm) ID 2 : 110 (mm) CONT : 0 VOL : 0.000
H-52050  Hydraulic Oil Filter Metal End Cap Element with synthetic media YANMAR 151103700T YAMASHIN 15511-03700T YANMAR 1551103700T H 1 : 280 (mm) OD 1 : 106.7 (mm) OD 2 : 106.7 (mm) Thread Size : PT1 CONT : 12 VOL : 0.049	H-7986  Hydraulic Oil Filter Metal End Cap Element Cellulose media TAKEUCHI 15511-00200 KOBELCO 2446R336F1 KOBELCO PH50V00005F1 H 1 : 296 (mm) H 2 : 292 (mm) OD 1 : 112 (mm) OD 2 : 112 (mm) ID 1 : 70 (mm) ID 2 : 70 (mm) CONT : 25 VOL : 0.123
Note : Takeuchi TB228, TB235, TB250	Note : with glassfiber media version uses H-79861
H-52220  Hydraulic Oil Filter Wire Mesh supported Element HUPPENKOTHE BAUMASCHINEN 1550100140T TAKEUCHI 1550100140T H 1 : 135 (mm) H 2 : 128 (mm) OD 1 : 150 (mm) OD 2 : 150 (mm) ID 1 : 78 (mm) Thread Size : M10X1.5-6H CONT : 0 VOL : 0.000	H-79861  Hydraulic Oil Filter Metal End Cap Element With Microfiber media TAKEUCHI 15511-03900 YANMAR 172B11-73710 H 1 : 294.5 (mm) H 2 : 290.5 (mm) OD 1 : 112 (mm) OD 2 : 112 (mm) ID 1 : 70 (mm) ID 2 : 70 (mm) CONT : 12 VOL : 0.062
Note : Cellulose media version uses H-7986	Note : Cellulose media version uses H-7986
H-52270  Hydraulic Oil Filter Metal End Cap Element TAKEUCHI 15511-04300 HUPPENKOTHE BAUMASCHINEN 15511-04300T H 1 : 165 (mm) H 2 : 159 (mm) OD 1 : 112 (mm) OD 2 : 112 (mm) ID 1 : 70 (mm) ID 2 : 70 (mm) CONT : 0 VOL : 0.000	HC-5807  Hydraulic Oil Filter Spin-On MITSUBISHI 91004-10021 YSK IHI-075511900 MITSUBISHI LPF 010 H 1 : 141 (mm) OD 1 : 93 (mm) Thread Size : 1 1/8-16 UNF-2B Gasket Type : Round CONT : 25 VOL : 0.046